

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



17-4 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
17-4	3.00	1.50	29.50	1	B29644	340 BHN SA
17-4	3.00	1.50	10.75	1	C10221	340 BHN SA
17-4	3.00	1.62	12.25	1	B28256	340 BHN SA
17-4	3.75	1.75	78.37	1	D28921	321 BHN
17-4	4.00	2.00	37.50	1	D27779	321 BHN
17-4	4.50	2.75	17.37	1	A22665	321 BHN SA
17-4	4.62	2.12	65.00	1	D29305	321 BHN
17-4	4.62	2.62	46.37	1	D29304	351 BHN
17-4	4.62	2.75	14.00	1	B26243	321-340 BHN SA
17-4	4.62	2.87	12.75	1	C11038	321 BHN SA
17-4	5.00	2.00	42.50	1	A24176	340 BHN
17-4	5.00	3.00	63.75	1	B31821	321 BHN
17-4	5.25	1.87	70.50	1	B29306	321-340 BHN
17-4	5.25	2.37	18.50	1	D27226	321-340 BHN SA
17-4	5.25	2.62	14.25	1	D27778	321 BHN
17-4	5.25	2.62	22.12	1	B30800	340 BHN
17-4	5.25	3.62	17.87	1	B22791	340 BHN H1025
17-4	5.25	3.62	16.50	1	B22791	340 BHN H1025
17-4	5.25	3.62	18.12	1	B22793	340 BHN H1025
17-4	5.25	3.62	17.87	1	B22792-1	340 BHN H1025
17-4	5.25	3.62	21.25	1	K9385	340 BHN H1025
17-4	5.37	3.12	41.75	1	D29402	340 BHN
17-4	5.50	1.75	19.12	1	B29848	302 BHN H1150 DBL
17-4	5.50	2.25	11.87	2	D23052	340 BHN H1025
17-4	5.50	2.37	21.87	1	D29207	321-340 BHN
17-4	5.50	3.75	58.87	1	D29237	340 BHN
17-4	5.87	4.00	72.37	1	A21896	340 BHN
17-4	6.00	2.62	22.12	1	A20709	340 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



17-4 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
17-4	6.00	2.62	16.75	1	B31501	321 BHN
17-4	6.00	2.62	15.00	1	B27072	321-340 BHN SA
17-4	6.00	2.87	10.87	1	A16755	340 BHN H1025
17-4	6.00	3.12	40.00	1	A18525	340 BHN SA
17-4	6.00	3.25	20.87	1	D19313	321 BHN SA
17-4	6.00	3.50	28.75	1	A24018	340 BHN
17-4	6.00	3.62	27.87	1	A22604	340 BHN
17-4	6.00	3.75	46.75	1	A20917	302 BHN H1150 DBL
17-4	6.12	2.00	19.37	1	E11205	340 BHN
17-4	6.12	4.25	35.25	1	C12281	340 BHN
17-4	6.25	3.62	25.00	1	A22917	321 BHN
17-4	6.37	2.62	25.75	1	K12856	340 BHN
17-4	6.50	3.00	48.00	1	D28921	321 BHN
17-4	7.00	3.87	37.00	1	J11870	321-340 BHN
17-4	7.00	4.25	11.25	1	A23285	340 BHN
17-4	7.12	4.75	34.12	1	D27182	321-340 BHN
17-4	7.75	5.50	73.25	1	D30842	321 BHN
17-4	7.87	5.25	72.50	1	A22970	340 BHN
17-4	8.00	2.75	21.87	1	B26427	340 BHN SA
17-4	8.25	4.00	13.25	1	B28649	340 BHN
17-4	9.12	6.87	71.87	1	A23727	321 BHN
17-4	9.50	6.75	11.75	1	J11206	302 BHN H1150 DBL
17-4	9.50	7.75	21.12	1	C12570	321-340 BHN
17-4	9.75	8.25	15.12	1	D23416	340 BHN SA
17-4	9.75	8.25	38.25	1	A18690	340 BHN SA
17-4	11.00	8.37	32.87	1	A19369	321 BHN
17-4	11.12	9.00	25.75	1	E10458	321 BHN
17-4	11.50	9.37	29.25	1	A23895	340 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



17-4 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
17-4	12.12	9.37	60.62	1	D20572	321-340 BHN
17-4	12.12	10.00	14.62	1	E11206	340 BHN SA
17-4	13.12	8.50	21.00	1	D27620	321-340 BHN
17-4	13.50	11.37	64.12	1	A23895	340 BHN
17-4	14.50	11.37	12.12	3	K12706	302 BHN H1150 DBL
17-4	14.50	12.50	25.62	1	A20701	321-340 BHN
17-4	14.50	12.75	30.62	1	K13171	340 BHN
17-4	14.75	11.62	37.25	1	K13172	340 BHN
17-4	14.75	11.75	37.50	1	A20702	321-340 BHN
17-4	15.00	10.37	19.25	1	K13094	387 BHN H900
17-4	15.00	11.75	17.50	1	A23410	340 BHN
17-4	15.12	10.50	22.62	1	J11466	340 BHN
17-4	15.50	13.37	34.37	1	A20165	340 BHN SA
17-4	16.00	11.75	24.75	1	A22854	387-418 BHN H900
17-4	16.62	9.25	57.50	1	J12138	340 BHN
17-4	17.00	14.12	21.25	1	A20803	321-340 BHN
17-4	17.00	14.12	18.12	1	A20803	321-340 BHN
17-4	17.12	13.62	19.87	1	J11242	340 BHN
17-4	18.75	9.37	32.62	1	J12113	340 BHN H1075
17-4	18.75	14.00	17.12	1	K13974	340 BHN
17-4	18.87	15.25	24.25	1	A20804	321-340 BHN
17-4	20.62	16.12	18.62	1	K12913	311 BHN H1100
17-4	20.75	14.75	16.62	1	J10486	340 BHN SA
17-4	21.00	12.00	32.00	1	J11700	418 BHN H900
17-4	21.00	14.00	12.50	1	A19904	340 BHN SA
17-4	21.62	14.75	27.12	1	K13148	340 BHN H1075
17-4	27.37	22.75	22.87	1	A19491	302 BHN H1150 DBL

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
303	9.00	5.12	22.25	1	D27300	
303	9.37	5.75	17.50	1	D19864-1	
303	9.37	5.75	15.50	1	D19864-2	
303	15.87	13.50	21.75	1	A18001	
303	16.87	14.37	35.37	1	A15645	
303	20.62	15.62	24.37	1	J10821	
303	20.62	15.75	36.75	1	J10517	
303	20.62	16.00	32.37	1	J10508	
303	21.37	18.75	39.75	1	A21307	
303	23.00	20.00	77.00	1	K12574	
303	25.00	18.37	19.25	1	J11104	
304	7.12	5.62	94.87	1	A19604	
304	9.00	6.37	37.87	1	A15164	
304	9.00	6.37	37.87	1	A15094	
304	9.00	6.37	11.37	1	A15136	
304	9.00	6.37	13.12	1	A15139	
304	9.00	6.37	28.75	1	A15166	
304	9.00	6.37	13.00	1	A15140	
304	9.12	6.00	10.00	1	K12569	
304	9.12	6.37	34.00	1	A15260	
304	9.12	6.37	37.87	1	A15259	
304	9.12	6.37	37.62	1	A15258	
304	9.12	6.37	22.50	1	A15402	
304	9.12	6.87	13.25	1	B22485	
304	9.12	6.87	13.37	1	B22487	
304	9.12	6.87	13.25	1	B22489	
304	9.12	6.87	13.75	1	B22488	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
304	9.50	3.62	8.87	2	A20108	
304	11.12	8.50	10.25	1	K12340	
304	12.12	9.00	7.50	1	D30458	
304	13.12	11.12	17.25	1	D21705	
304	13.37	10.00	15.00	1	A18675	
304	17.00	11.75	8.87	1	A17453	
304	17.00	11.75	10.00	1	A17454	
304	19.00	16.00	13.62	2	K12681	
304	19.00	16.00	13.62	1	A19380	
304	19.00	16.12	14.37	1	D24270	
304	22.62	20.00	6.62	1	LA486	
304	24.50	19.87	16.50	1	J10798	
304	24.50	20.00	12.50	1	K12334-1	
304	24.50	20.00	7.12	1	K12334-2	
304	24.50	20.00	12.87	1	J9286	
304L	3.62	1.25	64.50	1	D29136	
304L	3.75	1.50	18.50	1	D27798	
304L	3.75	1.50	77.87	1	B32814	
304L	4.00	1.12	76.62	1	D27799	
304L	4.00	1.37	77.00	1	C12521	
304L	4.00	1.37	77.12	1	A24040	
304L	4.50	1.50	77.75	1	E11235	
304L	5.00	1.75	36.75	1	D27159	
304L	5.50	2.25	19.87	1	D27159	
304L	5.50	2.25	77.62	1	D29376	
304L	5.50	3.25	60.25	1	D30178	
304L	6.00	2.75	26.37	1	B30348	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
304L	6.00	3.87	40.75	1	D30179	
304L	6.00	4.00	9.62	1	E11117	
304L	6.00	4.00	10.50	1	D28662	
304L	7.00	2.75	78.00	1	A22012	
304L	7.00	3.62	43.37	1	A21431	
304L	7.00	4.75	47.62	1	D30179	
304L	7.50	4.37	6.25	1	D28838	
304L	7.50	4.50	77.75	1	D30178	
304L	7.75	4.25	77.00	1	A24039	
304L	7.75	5.12	33.75	1	D27574	
304L	7.87	3.75	77.00	1	A24040	
304L	8.00	2.62	76.75	1	A24041	
304L	8.00	4.00	24.00	1	A21415	
304L	8.00	4.87	68.38	1	A24039	
304L	8.00	5.00	12.50	1	A21414	
304L	8.00	6.00	40.37	1	A21413	
304L	8.12	4.37	6.50	1	B28973	179 BHN
304L	8.50	3.37	48.75	1	J11596	
304L	8.50	5.50	46.00	1	A21435	
304L	8.50	6.37	73.37	1	A23697	
304L	8.50	6.50	24.87	1	D27514	
304L	8.62	3.37	76.37	1	J11942	
304L	8.62	4.62	12.12	1	E11520	170 BHN
304L	9.25	4.00	6.75	1	A19430	
304L	9.25	4.75	76.50	1	D30180	
304L	9.25	6.00	8.25	1	E10088	
304L	9.25	6.87	77.87	1	A21974	
304L	9.37	6.75	21.50	1	A24877	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
304L	9.50	2.62	8.00	1	J11391	
304L	9.50	2.62	7.87	3	J11391	
304L	9.62	3.87	10.50	1	A20747	
304L	9.75	6.50	66.25	1	A21432	
304L	9.87	7.75	29.62	1	D26525	
304L	9.87	7.75	26.00	1	A21661	
304L	10.25	4.75	17.87	1	J12004	
304L	10.25	4.87	63.50	1	A23698	
304L	10.25	5.50	18.50	1	A23914	179 BHN
304L	10.25	6.00	67.12	1	A21361	
304L	10.25	6.87	36.75	1	A22014	
304L	10.25	7.00	15.12	1	K13164	
304L	10.25	7.75	29.12	1	A22281	
304L	10.37	6.25	7.37	1	J10953	
304L	11.00	9.00	25.00	1	D22540	
304L	11.00	9.00	12.00	1	D22541	
304L	11.12	6.12	75.50	1	A24042	
304L	11.25	4.00	8.25	1	A19274	
304L	11.25	6.00	14.75	1	A17942	
304L	11.25	6.00	12.37	1	A20090	
304L	11.50	6.00	51.12	1	A22011	
304L	11.50	7.25	30.12	1	A22013	
304L	11.50	7.50	77.87	1	A23509	
304L	11.50	8.37	42.00	1	A22012	
304L	11.50	8.50	76.87	1	J11941	
304L	11.50	9.37	77.87	1	A22014	
304L	11.50	9.87	39.25	1	B27520	
304L	12.12	8.00	7.75	1	A17943	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
304L	12.25	7.87	77.62	1	J12005	
304L	12.50	5.00	4.87	1	A24003	
304L	12.50	10.37	31.37	1	D25629	
304L	12.62	9.12	7.25	1	A19270	
304L	12.62	9.12	26.12	1	A19273	
304L	12.62	9.12	17.00	1	A19262	
304L	13.12	5.50	50.87	1	J12006	
304L	13.12	6.25	22.00	1	K13735	
304L	13.12	9.50	58.62	1	A17947	
304L	13.12	10.50	73.00	1	K12314	
304L	13.12	11.12	21.87	1	E10088	
304L	13.12	11.12	17.00	1	E10086	
304L	13.12	11.12	16.87	1	A17654	
304L	13.12	11.12	16.75	1	E10087	
304L	13.62	5.62	21.87	1	E11520	
304L	13.62	11.00	17.25	1	B33335	166 BHN
304L	14.12	9.37	11.50	1	K13485	
304L	14.37	8.37	8.75	1	D28236	
304L	14.50	8.12	38.75	1	K13434	
304L	14.50	9.62	27.62	1	A20319	
304L	14.50	11.00	12.50	1	A21588	
304L	14.62	9.37	77.37	1	J12000	
304L	14.62	9.75	10.75	1	E11028	
304L	15.37	8.37	19.75	1	K13701	
304L	17.00	15.25	28.00	1	D27607	
304L	17.12	12.50	77.00	1	J12222	
304L	17.50	11.62	19.75	1	E11573	
304L	19.00	15.00	11.12	1	K13505	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
304L	20.00	16.25	13.00	1	J11126	
304L	20.62	17.50	21.00	1	J11646	
304L	21.00	18.37	10.00	1	A22008	
304L	21.00	18.37	7.37	1	A22008	
304L	21.62	11.50	30.12	1	K13946	
304L	22.75	20.00	13.75	1	LA592	
304L	24.37	19.75	39.87	1	K12902	
304L	24.50	19.75	50.75	1	K12882	
310	5.75	2.12	21.62	1	D26945	
310	6.37	2.50	20.37	1	C12367	
310	12.25	9.87	26.00	1	D28262	
310	12.37	10.00	26.00	1	D28263	
310	13.00	7.37	37.00	1	E10828	
316	4.50	2.87	78.00	1	C13035	
316	5.25	1.62	15.50	1	B32214	
316	5.75	3.37	20.00	1	D28750	
316	6.62	3.75	28.62	1	B33455	
316	7.00	4.12	9.25	1	B30599	
316	9.00	3.25	8.50	1	K10537	
316	10.37	6.87	10.25	1	D26732	
316	15.00	12.25	42.62	1	K13323	
316	15.75	12.62	11.37	1	A16271-1	
316	15.75	12.62	9.75	1	A16271-2	
316	15.87	10.37	26.00	1	K12588	
316	16.00	12.00	11.37	1	J10501	14 RC
316	16.00	12.00	10.62	1	J10501	14 RC

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
316	17.12	14.50	6.12	1	A21981	
316	20.62	14.50	22.50	1	K13136	14 RC
316	20.62	17.50	42.00	1	E11370	
316	22.00	17.00	20.62	1	J11852	
316	23.00	18.37	11.62	1	A24794	14 RC
316L	3.62	1.37	78.00	1	C13033	
316L	3.62	1.50	71.50	1	C12864	
316L	3.62	1.50	77.00	1	B33485	
316L	3.75	1.37	77.25	1	C12507	
316L	4.00	1.37	37.37	1	C12522	
316L	4.00	1.50	75.12	1	C12854	
316L	4.00	1.75	21.25	1	C12950	
316L	4.00	1.87	77.00	1	B33506	
316L	4.12	2.50	77.00	1	B33486	
316L	4.37	2.75	78.00	1	B33485	
316L	4.62	1.00	46.00	1	B33486	
316L	4.62	1.37	43.50	1	D29990	
316L	4.62	1.50	13.75	1	D27656	
316L	4.62	1.50	55.25	1	B28900	
316L	4.62	1.50	20.00	1	B28901	
316L	4.62	2.37	77.00	1	C13047	
316L	4.62	3.25	50.50	1	C12674	
316L	4.62	3.25	13.12	1	C12083	
316L	4.75	2.62	22.62	1	C12884	
316L	4.87	2.62	24.62	1	A22555	
316L	5.00	1.87	78.00	1	B33506	
316L	5.00	1.87	54.25	1	A24993	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
316L	5.00	2.87	78.00	1	B33494	
316L	5.00	3.50	78.00	1	A24994	
316L	5.50	1.50	63.75	1	D27656	
316L	5.50	1.75	77.62	1	E11493	
316L	5.50	1.87	38.50	1	A22278	
316L	5.50	2.00	56.12	1	D29976	
316L	5.50	3.25	10.50	1	A24010	
316L	5.50	3.50	78.00	1	B33494	
316L	5.50	3.87	40.75	1	C12770	
316L	6.00	1.50	77.87	1	E11494	
316L	6.00	1.62	66.12	1	B30418	
316L	6.00	2.00	50.12	1	B30300	
316L	6.00	3.00	8.12	1	A24513	
316L	6.00	3.62	18.36	1	B32276	
316L	6.00	4.00	28.62	1	A24995	
316L	6.12	1.87	20.75	1	B30792	
316L	6.25	4.50	18.37	1	D29990	
316L	6.37	2.12	76.75	1	E11479	
316L	6.50	1.50	55.50	1	A21620	
316L	6.50	2.25	52.50	1	E11413	
316L	6.50	3.25	60.12	1	D29686	
316L	7.00	1.87	57.00	1	E11423	
316L	7.00	2.25	12.37	1	A20818	
316L	7.00	2.62	20.00	1	A20820	
316L	7.00	2.62	11.75	1	A23862	
316L	7.00	2.62	16.37	1	A23675	
316L	7.00	2.62	33.62	1	A24344	
316L	7.00	2.62	19.12	1	A22666	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
316L	7.00	3.00	30.37	1	A23863	
316L	7.00	3.50	69.37	1	A23064	
316L	7.00	3.62	77.62	1	A24336	
316L	7.00	3.75	77.75	1	E11508	
316L	7.00	3.75	78.00	1	A25100	
316L	7.00	3.75	37.75	1	B30667	
316L	7.00	4.00	46.50	1	E11472	
316L	7.00	4.12	6.75	1	A22666	
316L	7.12	2.62	22.00	1	B30836	
316L	7.50	2.62	78.00	1	A25091	
316L	7.50	4.37	78.00	1	A25092	
316L	7.50	4.87	78.00	1	A25093	
316L	7.75	5.00	15.00	1	B30836	
316L	8.00	3.75	19.37	1	E11474	
316L	8.00	3.75	85.00	1	A24995	
316L	8.00	4.87	15.75	1	A23862	
316L	8.00	4.87	89.00	1	E11473	
316L	8.00	4.87	50.50	1	A23618	
316L	8.00	5.75	7.00	1	A24105	
316L	8.00	5.87	7.75	1	J12045	
316L	8.50	4.25	32.00	1	A24845	
316L	8.50	4.25	10.00	1	A23618	
316L	8.50	4.25	25.00	1	A21342	
316L	8.50	4.25	36.12	1	A21929	
316L	8.50	5.50	58.52	1	A24767	
316L	8.50	6.12	16.75	1	A24688	
316L	8.50	6.37	77.00	1	A25091	
316L	8.62	5.25	29.25	1	A24337	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
316L	9.00	5.75	35.00	1	A23037	
316L	9.00	5.87	77.00	1	A25092	
316L	9.00	5.87	59.25	1	A24769	
316L	9.00	6.87	5.00	1	D28610	
316L	9.00	6.87	8.75	1	A24345	
316L	9.12	2.75	41.88	1	A23511	
316L	9.12	4.62	21.00	1	J12043	
316L	9.37	7.87	21.00	1	A23962	
316L	9.50	6.87	101.00	1	A25094	
316L	9.50	6.87	8.62	1	E11479	
316L	9.50	7.50	43.12	1	A24345	
316L	9.62	7.62	69.37	1	A24994	
316L	9.75	6.37	47.87	1	A24993	
316L	9.75	7.75	45.12	1	D26936	
316L	9.75	7.75	12.50	1	D26935	
316L	9.87	6.62	31.75	1	D27194	
316L	10.25	5.62	17.87	1	A23666	
316L	10.25	5.62	76.75	1	J12139	
316L	10.25	5.75	76.00	1	K14062	
316L	10.25	5.87	60.62	1	E11423	
316L	10.25	6.00	10.87	1	A23066	
316L	10.25	6.00	12.37	1	K13818	
316L	10.25	7.87	76.00	1	D30839	
316L	10.25	7.87	0.50	1	A24341	
316L	10.50	8.00	77.00	1	A25094	
316L	11.12	6.25	0.38	1	E11421	
316L	11.12	6.75	75.00	1	A25093	
316L	12.12	10.62	37.62	1	D28457	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
316L	12.25	8.75	76.87	1	J12042	
316L	12.25	8.75	73.50	1	K13819	
316L	12.25	9.00	78.00	1	J12234	
316L	12.25	9.00	20.00	1	A22949	
316L	12.25	9.75	68.62	1	A23037	
316L	12.25	9.75	28.87	1	A23064	
316L	12.25	9.87	73.12	1	A23645	
316L	12.50	8.37	52.87	1	A23964	
316L	12.62	6.37	14.37	1	D30438	
316L	12.62	8.37	43.50	1	A24217	
316L	12.62	8.50	61.00	1	A22901	
316L	12.75	11.00	30.62	1	A23230	
316L	13.12	9.75	77.00	1	A25089	
316L	13.12	9.75	31.75	1	A23510	
316L	13.12	9.87	41.99	1	A23961	
316L	13.75	11.25	57.12	1	A24855	
316L	13.75	11.50	54.75	1	J12029	
316L	14.62	11.00	78.00	1	A25087	
316L	14.62	12.37	32.62	1	A22249	
316L	14.75	9.62	32.87	1	J12049	
316L	14.75	11.25	9.75	1	E10750	
316L	14.87	11.50	11.50	1	D29190	
316L	15.25	12.00	77.00	1	A25088	
316L	15.50	13.50	10.75	1	D7419	
316L	15.62	13.25	14.75	1	E9613	
316L	15.75	13.37	17.62	1	A20950	
316L	15.75	13.50	16.12	1	A19187	
316L	16.00	12.75	67.50	1	A21977	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
316L	16.00	13.00	19.75	1	A20888	
316L	16.12	13.00	77.00	1	J12244	
316L	16.50	13.87	19.75	1	B30682	
316L	17.00	12.87	12.75	1	J10173	
316L	17.00	13.75	74.00	1	A25090	
316L	17.00	14.00	43.87	1	A24557	
316L	17.12	13.75	34.87	1	J11582	
316L	17.50	13.25	27.50	1	K13931	
316L	17.50	13.37	27.25	1	K13921	
316L	18.00	12.50	26.00	1	J11583	
316L	18.62	10.00	19.25	1	J11894	
316L	18.87	10.50	40.75	1	K13711	163 BHN
316L	21.62	12.75	14.00	1	K13307	10 RC
316L	24.50	22.12	17.62	1	J10902	
317	7.50	5.00	17.25	1	D23956	
317	13.37	9.12	24.37	1	E8410	
317	13.75	11.37	19.12	1	K13561	
317L	4.50	1.62	44.00	1	C12656	
317L	4.50	2.00	78.00	1	C13048	
317L	5.00	2.00	101.00	1	B33484	
317L	5.50	2.87	18.62	1	B32816	
317L	6.00	2.00	78.00	1	A25019	
317L	6.00	3.87	78.00	1	A25021	
317L	6.50	3.50	40.12	1	A24354	
317L	6.62	3.37	78.00	1	B33483	
317L	7.00	4.00	14.87	1	B32075	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
317L	7.12	3.00	101.00	1	A25021	
317L	7.50	4.00	69.37	1	A24111	
317L	7.50	4.37	57.75	1	A23989	
317L	7.50	4.37	20.37	1	A22049	
317L	8.50	3.87	74.75	1	A24183	
317L	9.25	4.12	63.25	1	A24354	
317L	10.50	6.87	77.00	1	A25019	
317L	10.62	6.87	52.50	1	A24183	
317L	10.62	8.00	70.75	1	D30678	
317L	11.50	5.87	74.00	1	A24247	
317L	12.50	9.25	7.87	1	J9714	
317L	12.62	8.75	77.00	1	A24249	
317L	12.62	8.75	72.37	1	A23994	
317L	12.62	8.87	76.00	1	J12243	
317L	13.12	10.00	45.37	1	J9715	
317L	13.37	11.25	12.50	1	B29303	
317L	14.50	9.75	77.50	1	E11495	
347	3.75	1.75	41.37	1	B28518	
347	4.62	1.62	7.25	1	C11712	
347	7.00	3.37	13.00	2	D28033	14 RC
347	12.62	9.62	12.37	1	D22461	
347	13.62	7.62	12.12	1	D21387	
AL20	4.25	2.50	17.62	1	B22763-1	
AL20	4.25	2.50	32.00	1	B22763-2	
AL20	4.25	2.50	18.00	1	B22764-2	
AL20	4.75	2.62	9.75	1	C12299	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
AL20	5.50	3.75	21.62	1	B31471	
AL20	7.00	4.87	23.50	1	B30793	
AL20	9.87	7.62	6.75	1	C12375	
AL20	12.62	7.87	11.12	1	B30833	
AL20	13.25	4.50	9.25	1	A23288	
AL20	14.12	9.25	20.25	1	A19895	
AL20	14.12	9.37	10.00	1	A19894	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	3.75	1.50	78.50	1	B31128	196 BHN
410	4.00	1.50	78.37	1	B31130	196 BHN
410	4.00	1.50	30.75	1	B30251	207 BHN
410	4.00	1.87	77.50	1	D28917	196 BHN
410	4.12	2.62	24.87	1	B33347	217 BHN
410	4.25	2.12	41.12	1	D29351	228-241 BHN
410	4.25	2.25	78.00	1	C13027	217 BHN
410	4.50	1.87	60.12	1	D26868	196-217 BHN
410	4.50	2.00	78.37	1	D29755	228-241 BHN
410	4.50	2.00	78.37	1	D28627	207-217 BHN
410	4.50	2.37	78.00	1	B33347	217 BHN
410	4.50	2.87	30.87	1	B32528	207 BHN
410	4.50	2.87	78.37	1	C12530	228 BHN
410	4.50	3.00	47.50	1	A24606	207 BHN
410	5.00	1.75	78.25	1	B30165	207 BHN
410	5.00	1.75	78.00	1	B30163	207 BHN
410	5.00	1.87	50.00	1	D26882	207-217 BHN
410	5.00	1.87	78.50	1	B31127	196 BHN
410	5.00	1.87	78.50	1	B31128	196 BHN
410	5.00	2.50	42.00	1	A23644	196-207 BHN
410	5.00	2.75	57.87	1	D30348	207 BHN
410	5.00	2.75	78.00	1	C13019	196-207 BHN
410	5.00	2.87	72.12	1	A23644	196-207 BHN MODIFIED
410	5.00	2.87	12.75	1	D29351	228-241 BHN
410	5.50	1.50	40.75	1	A21000	207 BHN
410	5.50	1.87	77.37	1	D30004	217 BHN
410	5.50	2.00	77.12	1	E11441	207 BHN
410	5.50	2.37	78.00	1	D30889	212 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	5.50	2.37	78.37	1	D29289	196-228 BHN
410	5.50	2.37	40.12	1	D28918	207 BHN
410	5.50	2.75	15.37	1	D30003	217 BHN
410	5.50	3.50	42.62	1	B27801	217-228 BHN ADT
410	5.75	1.87	78.12	1	D30508	228-241 BHN
410	5.75	1.87	42.50	1	D30508	228-241 BHN
410	6.00	1.87	78.00	1	B33387	217 BHN
410	6.00	2.50	65.50	1	D28048	207 BHN
410	6.00	2.62	23.25	1	A21096	207 BHN
410	6.00	2.62	78.50	1	D29288	196-228 BHN
410	6.00	2.75	68.62	1	A24579	196-207 BHN
410	6.00	3.75	71.75	1	D29165	207 BHN MODIFIED
410	6.00	3.87	13.75	1	A24358	207 BHN
410	6.00	3.87	78.25	1	A23095-1	217 BHN
410	6.12	2.25	78.50	1	A23048	207 BHN
410	6.12	3.25	28.87	1	A22472	187-196 BHN
410	6.50	3.37	23.50	1	A23226	217 BHN
410	6.50	3.50	64.87	1	A23113	207-217 BHN
410	6.50	3.87	39.25	1	A23864	207 BHN
410	6.75	3.25	19.25	1	D28276	217 BHN ADT
410	7.00	2.50	50.37	1	E11276	196 BHN
410	7.00	2.75	62.87	1	A23730	196-207 BHN
410	7.00	2.87	60.62	1	A23600	228 BHN
410	7.00	3.75	78.00	1	B33278	207 BHN
410	7.00	4.00	37.37	1	D24978	235 BHN ADT
410	7.00	4.75	67.50	1	A23599	228 BHN
410	7.00	5.37	72.00	1	K14066	207 BHN
410	7.12	2.25	10.75	1	E10861	207-217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	7.12	2.75	14.50	1	D28367	217-228 BHN
410	7.12	2.87	70.00	1	D28623	217 BHN
410	7.12	3.25	65.37	1	A23048	207 BHN
410	7.12	4.75	40.50	1	D26863	196-207 BHN
410	7.12	4.75	78.50	1	A21861	196 BHN
410	7.12	4.75	70.50	1	D26864	196-207 BHN
410	7.25	4.87	9.50	1	D28276	217 BHN
410	7.25	5.62	7.75	1	B31547	38 RC
410	7.50	2.12	10.50	1	E11122	217 BHN
410	7.50	2.50	26.00	1	E11088	207 BHN
410	7.50	2.50	20.50	1	A20856	207 BHN
410	7.50	2.75	77.25	1	A24148	217 BHN
410	7.50	2.75	72.62	1	A24358	207 BHN
410	7.50	3.12	72.00	1	A25011	196-207 BHN
410	7.50	4.00	78.37	1	A23049	387 BHN NT
410	7.50	4.00	78.25	1	D26137	228 BHN ADT
410	7.50	4.00	27.00	1	E10859	207 BHN NT
410	7.50	4.12	78.37	1	B32953	217-228 BHN
410	7.50	4.25	11.62	1	B30201	217 BHN
410	7.50	4.50	30.50	1	A23047	207 BHN
410	7.50	4.50	15.87	1	A21949	196-207 BHN
410	7.50	5.12	59.25	1	A24802	207-217 BHN
410	7.50	5.37	12.12	1	E11445	187 BHN
410	7.62	3.37	77.87	1	A23041	217 BHN
410	7.75	2.00	55.25	1	A21843	179 BHN
410	7.75	2.25	60.75	1	A21147	207 BHN
410	7.75	4.00	78.25	1	A23048	207 BHN
410	7.87	4.62	48.50	1	D26377	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	8.00	2.50	57.62	1	D26006	217 BHN
410	8.00	2.50	77.62	1	A22359	217 BHN
410	8.00	3.87	69.62	1	E11261	217 BHN
410	8.00	3.87	42.25	1	A23865	207 BHN
410	8.00	5.00	10.50	1	B30919	196-207 BHN
410	8.00	5.25	11.87	1	E11543	217 BHN
410	8.00	5.75	21.12	1	A23729	196-207 BHN
410	8.50	2.25	66.12	1	D27033	196 BHN
410	8.50	2.62	34.00	1	D28577	207-217 BHN ADT
410	8.50	2.62	24.25	1	D27644	207-217 BHN
410	8.50	2.75	56.50	1	A24554	196-207 BHN
410	8.50	4.00	54.25	1	A24717	207 BHN
410	8.50	4.25	7.25	1	K14070	196 BHN
410	8.50	4.37	7.00	1	A23729	196-207 BHN
410	8.50	4.50	18.75	1	J11299	207 BHN
410	8.50	4.50	12.00	1	A22726	207-217 BHN
410	8.50	5.12	78.12	1	A24717	207 BHN
410	8.50	5.25	37.62	1	E11089	207 BHN
410	8.50	5.37	11.50	1	A23793	212 BHN
410	8.50	5.37	28.00	1	E11122	217 BHN
410	8.50	6.25	73.00	1	A25012	196-207
410	8.62	2.75	72.00	1	J12050	207-217 BHN
410	8.62	5.25	78.00	1	A23608	217 BHN
410	8.62	5.37	24.62	1	D28624	217 BHN
410	9.00	3.00	43.75	1	E11260	E11260
410	9.00	3.00	10.62	1	E10990	187 BHN
410	9.00	3.12	8.12	1	E10804	217-228 BHN
410	9.00	4.62	74.25	1	D28098	207-217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	9.00	5.62	77.62	1	J12146	196-207 BHN
410	9.00	5.75	78.37	1	A21950	196-207 BHN
410	9.00	5.87	41.50	1	A23816	212 BHN
410	9.12	5.75	72.62	1	A23016	217 BHN
410	9.12	5.75	77.62	1	A24579	196 BHN
410	9.12	5.75	78.25	1	A23018	217 BHN
410	9.12	6.87	78.00	1	B33381	207 BHN
410	9.25	4.00	22.00	1	D27081	196 BHN
410	9.37	5.25	54.62	1	A20865	196 BHN
410	9.50	3.50	78.50	1	A20867	196 BHN
410	9.50	3.50	24.00	1	A20871-2	207 BHN
410	9.50	3.50	11.37	1	A20871-1	207 BHN
410	9.50	4.25	78.50	1	J11301	207 BHN
410	9.50	4.37	60.50	1	J11300	207 BHN
410	9.50	5.00	71.00	1	J11299	207 BHN
410	9.50	5.25	78.00	1	A22137	196 BHN
410	9.50	5.50	47.62	1	A22138	196 BHN
410	9.50	6.00	78.00	1	E11265	207 BHN
410	9.50	6.25	101.87	1	A24606	207 BHN
410	9.50	6.25	88.12	1	J12147	196-207 BHN
410	9.50	7.37	101.87	1	A24192	217 BHN
410	9.75	3.25	53.00	1	A21378	207 BHN
410	9.87	5.87	16.12	1	A23098	217-228 BHN ADT
410	10.00	4.00	19.25	1	A23515	217 BHN
410	10.00	7.75	22.25	1	B30761	207-217 BHN
410	10.00	7.87	77.37	1	D26885	207-217 BHN
410	10.00	7.87	23.75	1	D26886	207-217 BHN
410	10.25	4.37	53.50	1	A22322	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	10.25	5.25	6.62	1	A11528	228 BHN
410	10.25	5.75	13.00	1	A11530	228 BHN
410	10.37	4.75	60.87	1	A21951	196-207 BHN
410	10.37	6.75	44.00	1	D28925	196 BHN
410	10.62	5.75	51.37	1	J11980	207 BHN
410	10.62	5.87	47.00	1	A23974	196-228 BHN
410	10.62	5.87	76.87	1	A24145	217 BHN
410	10.62	6.00	15.75	1	A21581	217 BHN
410	11.00	5.50	27.62	1	A21990	207 BHN
410	11.12	4.87	7.37	1	A19373	217 BHN
410	11.12	5.00	10.12	1	E9814	217 BHN
410	11.12	5.00	8.12	1	E9935	196-207 BHN
410	11.12	5.00	10.25	1	K10268	207 BHN
410	11.12	9.37	75.00	1	A23865	207 BHN
410	11.12	9.62	75.25	1	J11872	196 BHN
410	11.25	6.00	19.00	1	A11692	207 BHN
410	11.25	7.87	24.62	1	A21607	228 BHN NDT
410	11.25	8.75	20.12	1	A23600	228 BHN
410	11.37	8.50	14.62	3	D25190	187 BHN NDT
410	11.50	4.00	28.75	1	E10906	217 BHN
410	11.50	4.00	40.12	1	E11155	207 BHN
410	11.50	5.00	49.62	1	K13413	196-207 BHN
410	11.50	5.50	41.75	1	A23040	217 BHN
410	11.50	6.00	68.62	1	K13412	196-207 BHN
410	11.50	6.50	52.49	1	A23039	217 BHN
410	11.50	7.00	8.00	1	A23059	217-228 BHN ADT
410	11.50	7.12	78.37	1	K13874	217-228 BHN
410	11.50	7.25	20.00	1	K13806	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	11.50	7.25	77.00	1	A24552	196-207 BHN
410	11.50	7.37	7.62	1	A23997	217 BHN
410	11.50	8.37	9.75	1	A24191	217 BHN
410	11.50	8.37	14.00	1	A24192	217 BHN
410	11.50	8.62	77.25	1	J12145	196-207 BHN
410	11.50	8.75	77.25	1	J12144	196-207 BHN
410	11.50	8.75	13.00	1	K13872	217-228 BHN
410	11.50	8.87	11.62	1	A24143	217 BHN
410	11.50	8.87	12.50	1	A23643	196 BHN
410	11.50	8.87	10.50	1	D28924	217 BHN
410	11.50	8.87	78.00	1	K14085	217 BHN
410	11.50	9.00	9.62	1	A23644	196-207 BHN
410	11.50	9.00	11.12	1	J11871	196 BHN
410	11.50	9.00	12.00	1	A23274	207 BHN
410	11.50	9.50	14.25	1	A22578	207 BHN
410	11.87	7.00	34.62	1	A25004	207 BHN
410	11.87	9.00	73.00	1	J12146	196-207 BHN
410	11.87	9.00	77.00	1	A25011	196-207 BHN
410	11.87	9.25	22.75	1	D26867	196-217 BHN
410	11.87	10.50	68.00	1	A15345	217 BHN
410	11.87	10.50	95.75	1	A15346	217 BHN
410	12.12	5.00	11.62	1	A19224	196-217 BHN
410	12.12	9.50	11.12	1	E10473	207 BHN
410	12.12	9.50	26.12	1	A20163	217-228 BHN
410	12.12	9.50	73.87	1	A20164	196 BHN
410	12.12	9.50	14.25	1	A20162	217-228 BHN
410	12.12	9.50	21.00	1	E10718	196 BHN
410	12.12	9.75	24.37	1	D21602	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	12.12	10.50	10.50	1	A15343	228 BHN
410	12.12	10.50	33.00	1	B25030	196 BHN
410	12.12	10.50	73.87	1	B25035	196 BHN
410	12.12	10.50	92.00	1	D19015	228 BHN
410	12.25	9.37	48.75	1	A19496	269 BHN
410	12.25	9.37	10.62	1	E10563	269 BHN
410	12.50	7.12	36.50	1	K13710	217 BHN
410	12.62	4.50	64.62	1	K13778	187-196 BHN
410	12.62	5.75	9.62	1	E11240	241 BHN
410	12.62	6.00	6.62	1	K12220	187-196 BHN
410	12.62	6.50	28.00	1	E9969	217 BHN
410	12.62	7.00	22.50	1	A23414	207-217 BHN
410	12.62	7.75	75.87	1	K13806	207 BHN
410	12.62	7.87	77.37	1	K13604	207 BHN
410	12.62	8.00	63.75	1	A23038	217 BHN
410	12.62	8.25	54.25	1	A23995	217 BHN
410	12.62	9.12	6.37	1	A21955	196 BHN
410	12.62	9.25	34.62	1	J12144	196-207 BHN
410	12.62	9.75	33.87	1	J12145	207 BHN
410	12.62	10.12	77.00	1	D30805	217 BHN
410	12.62	10.12	77.00	1	A25012	196-207 BHN
410	12.62	10.25	7.75	1	D21343	207 BHN
410	12.62	10.50	11.12	1	D21342	207 BHN
410	12.75	10.25	12.00	1	D24650	217 BHN
410	12.75	10.50	9.00	1	A14557	217 BHN
410	13.00	6.37	32.12	1	J11394	207 BHN
410	13.12	6.12	69.75	1	K13600	207 BHN
410	13.12	7.50	58.37	1	A21959	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	13.12	8.00	19.25	1	E11188	196-217 BHN
410	13.12	9.75	17.00	1	A21958	207 BHN
410	13.12	11.50	46.00	1	D20068	217 BHN
410	13.12	11.50	39.37	1	E10210	207 BHN
410	13.25	6.87	76.62	1	J11979	207 BHN
410	13.25	9.75	78.00	1	A24997	207 BHN
410	13.25	9.87	49.37	1	J12050	207-217 BHN
410	13.50	5.62	8.75	1	K13407	187 BHN
410	13.50	5.87	66.12	1	J11795	217 BHN
410	14.00	11.50	101.00	1	K14085	207 BHN
410	14.12	10.00	13.37	1	K13873	217-228 BHN
410	14.25	10.87	10.62	1	K13872	217-228 BHN
410	14.25	10.87	8.50	1	K13872	217-228 BHN
410	14.62	10.75	12.00	1	E11441	207 BHN
410	14.62	10.87	78.00	1	A24999	207 BHN
410	15.12	11.75	17.37	1	A23060	217 BHN
410	15.25	9.50	58.00	1	K13870	217-228 BHN
410	15.25	9.75	13.87	1	J11797.	217 BHN
410	15.25	12.00	77.87	1	A24553	196-207
410	15.25	12.87	17.25	1	A23112	207-217 BHN
410	16.00	10.75	25.62	1	J11796	217 BHN
410	16.00	12.12	13.75	1	A22571	217 BHN
410	16.12	13.00	78.00	1	A24998	196-207 BHN
410	17.00	9.37	38.62	1	K13811	228-235 ADT BHN
410	17.25	11.25	52.00	1	K13734	207-217 BHN
410	17.25	11.37	78.00	1	K13869	217-228 BHN
410	17.25	11.75	15.00	1	K13779	187-196 BHN
410	17.25	11.75	29.00	1	J12009	207-217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
410	17.25	11.87	14.75	1	K13922	196-207 BHN
410	17.25	11.87	77.00	1	K14066	207 BHN
410	18.12	11.00	16.50	1	J11432	217 BHN
410	18.75	16.12	51.25	1	A25054	24 RC
410	19.12	10.62	8.00	1	K13032	187-207 BHN
410	19.25	13.25	68.25	1	J11715	228 BHN
410	19.25	13.50	45.00	1	K13866	196 BHN
410	20.50	16.62	61.12	1	J11798	217 BHN
410	20.75	14.62	35.75	1	J11790	207 BHN
410	20.75	14.87	25.87	1	K13602	196 BHN
410	21.75	16.00	20.25	1	J11928	196-207 BHN
410	23.00	16.12	19.87	1	K13061	217-228 BHN ADT
410	23.12	16.12	21.87	1	J11857	217-228 BHN
416	3.50	1.37	34.50	1	D28657	228 BHN
416	4.00	1.50	22.12	1	C12851	217 BHN
416	4.12	1.75	77.00	1	C12850	217 BHN
416	5.50	2.00	78.00	1	A25022	217 BHN
416	5.50	2.25	27.87	1	A24032	207 BHN
416	6.00	1.87	16.00	1	A23661	207-217 BHN
416	7.62	3.25	32.87	1	A25023	217 BHN
416	8.00	3.87	42.37	1	A24032	207-217 BHN
416	8.50	5.12	66.50	1	A23632	228 BHN
416	8.50	5.50	13.75	1	D25439	207-217 BHN
416	8.62	5.25	78.00	1	A25023	217 BHN
416	8.62	5.25	78.12	1	A24323	228 BHN
416	9.00	6.50	17.87	1	B28712	217 BHN
416	9.12	2.50	73.50	1	A24033	217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
416	9.12	2.75	60.37	1	A23546	207-217 BHN
416	9.50	7.00	49.75	1	D25440	207-217 BHN
416	9.50	7.00	78.37	1	J11284	207 BHN
416	10.25	6.75	77.00	1	A25022	207 BHN
416	10.50	5.00	14.50	1	A23062	217 BHN
416	10.62	4.75	78.12	1	E11490	207 BHN
416	12.25	4.87	71.00	1	K13601	207 BHN
416	12.25	8.00	25.25	1	A23063	217 BHN
416	12.37	4.62	59.75	1	J11549	217 BHN
416	13.12	5.50	20.87	1	K13500	187 BHN
416	13.50	9.37	9.00	1	K12320	387 BHN
416	14.50	7.00	10.87	1	J11529	217 BHN
416	14.50	7.00	55.50	1	J11600	217 BHN
416	16.00	13.75	23.25	1	B30047	34 HRC
416	16.12	13.50	52.62	1	K13728	217 BHN
420	3.12	1.75	15.50	1	D28865	217-228 BHN
420	3.75	1.50	61.12	1	B32819	207-217 BHN
420	4.00	1.75	78.37	1	B32819	207-217 BHN
420	4.00	2.62	21.25	1	B31757	196-228 BHN
420	4.25	1.50	78.37	1	C12856	228 BHN
420	4.50	1.75	41.75	1	B33162	217 BHN
420	5.00	1.37	41.25	1	E11422	228-241 BHN
420	5.00	2.87	78.00	1	D30895	223 BHN
420	5.00	2.87	78.00	1	E11586	217 BHN
420	5.25	2.00	12.50	1	B28416	241 BHN
420	5.50	1.25	19.87	1	D30190	207-217 BHN
420	5.50	1.87	76.00	1	A25055	217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
420	5.50	2.37	7.75	1	D28622	217-228 BHN
420	5.75	1.75	33.12	1	B32813	228 BHN
420	5.75	1.75	18.12	1	B32812	228 BHN
420	6.00	1.62	37.75	1	D30193	207-217 BHN
420	6.00	1.87	61.50	1	A23700	207-217 BHN
420	6.00	1.87	77.87	1	D28871	228 BHN
420	6.00	2.75	78.00	1	B33370	217-228 BHN
420	6.00	2.75	78.00	1	D30840	207 BHN
420	6.00	3.87	74.00	1	D30903	223 BHN
420	6.12	1.75	77.25	1	D29300	241 BHN
420	6.12	2.50	19.37	1	D26064	228 BHN
420	6.50	2.62	14.00	1	D19351	217-228 BHN
420	6.50	2.87	46.87	1	B30447	228 BHN
420	6.50	2.87	34.25	1	A23700	217 BHN
420	6.75	2.00	41.00	1	K13176	196 BHN
420	6.75	3.00	28.37	2	A17003-2	31-32 RC
420	6.75	3.00	25.37	1	D19300	302 BHN
420	6.75	3.00	28.37	2	A17003-1	31-32 RC
420	6.75	3.00	26.37	1	A16186	32 RC
420	6.75	3.00	25.37	1	E9695-2	293 BHN
420	6.75	3.00	18.75	1	E9695-2	293 BHN
420	7.00	2.50	21.62	1	D25497	228 BHN
420	7.00	3.50	70.50	1	A24746	217 BHN
420	7.00	3.87	78.50	1	D28622	228 BHN
420	7.12	2.50	23.75	1	D26800	228 BHN
420	7.25	5.62	15.75	1	B31304	241 BHN
420	7.37	5.00	62.01	1	D30696	217 BHN
420	7.50	2.25	11.00	1	D29641	248 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
420	7.50	2.50	69.75	1	A21908	207-217 BHN
420	7.50	2.75	16.12	1	A21862	228 BHN
420	7.50	4.25	52.12	1	B31772	217 BHN
420	7.50	5.25	60.87	1	D29708	241 BHN
420	7.50	5.37	78.25	1	D28866	217 BHN
420	7.75	3.00	20.50	1	D19243	32 RC
420	8.00	4.25	46.12	1	D29339	235 BHN
420	8.00	4.75	26.25	1	D26997	235 BHN
420	8.00	4.75	64.62	1	A24193	228 BHN
420	8.00	5.50	32.37	1	A21858	228 BHN
420	8.00	5.75	16.00	1	D27132	228 BHN
420	8.00	5.87	16.12	1	E11091	228 BHN
420	8.00	5.87	78.00	1	D30909	223 BHN
420	8.00	5.87	71.75	1	D30909	223 BHN
420	8.50	2.50	15.37	1	E11201	241 BHN
420	8.50	2.50	34.37	1	D27531	241 BHN
420	8.50	3.00	55.62	1	A21919	207-217 BHN
420	8.50	4.37	15.75	1	A21863	228 BHN
420	9.00	2.62	42.50	1	J12051	241-255 BHN
420	9.00	2.75	76.00	1	A25027	217 BHN
420	9.00	6.00	18.12	1	A22643	228 BHN
420	9.12	2.75	77.75	1	A24034	207-217 BHN
420	9.12	2.75	78.00	1	A25026	217 BHN
420	9.25	6.75	56.00	1	B31226	217 BHN
420	9.50	3.25	74.12	1	A21971	228 BHN
420	9.50	3.37	77.00	1	J11547	228 BHN
420	9.50	3.50	12.00	1	A21993	228 BHN
420	9.50	7.12	26.00	1	A22808	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
420	10.00	2.87	26.87	1	J12012	228 BHN
420	10.00	3.62	8.25	1	A22871	241 BHN
420	10.25	4.12	61.75	1	J12003	228 BHN
420	11.00	7.00	15.62	1	A21907	207 BHN
420	11.00	8.87	13.37	1	A24831	228-241 BHN
420	11.12	5.87	36.25	1	J12012	228 BHN
420	11.12	6.87	48.00	1	K13876	241 BHN
420	11.12	6.87	76.00	1	A25055	217 BHN
420	11.50	7.25	50.75	1	J11944	217 BHN
420	11.75	8.12	15.37	1	A24874	228 BHN
420	12.25	5.00	18.87	1	J11946	217 BHN
420	12.25	8.50	78.00	1	A24996	228 BHN
420	12.62	8.37	13.50	1	K13160	228 BHN
420	12.62	8.37	22.37	1	J12166	235 BHN
420	12.62	8.37	63.62	1	A22967	228 BHN
420	12.62	8.37	77.37	1	A22968	228 BHN
420	12.62	8.50	16.75	1	A21847	217 BHN
420	12.62	10.50	62.75	1	D26801	228 BHN
420	12.75	8.75	22.50	1	A20189	217 BHN
420	13.12	10.00	11.62	1	J11944	217 BHN
420	13.12	11.00	47.25	1	A21908	207 BHN
420	14.00	9.25	7.62	1	K13656	217-228 BHN
420	14.12	8.62	61.62	1	K13176	228 BHN
420	14.12	8.87	38.75	1	E11124	228 BHN
420	14.12	11.00	13.25	1	J11945	207 BHN
420	14.62	10.75	49.50	1	A24292	228-255 BHN
420	14.62	10.87	66.25	1	E11586	207 BHN
420	15.12	9.50	40.12	1	J11566	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
420	15.12	9.87	37.50	1	J11540	207 BHN
420	15.12	10.00	7.75	1	J11947	217 BHN
420	16.12	10.75	76.75	1	J11998	228 BHN
420	16.12	11.12	53.62	1	K13871	217-228 BHN
420	16.62	9.00	17.00	1	A23272	228 BHN
420	16.62	9.50	19.00	1	J12190	302 BHN
420	17.12	9.75	68.50	1	K13825	228 BHN
420	17.12	9.75	17.12	1	J11565	228 BHN
420	17.12	10.00	21.50	1	K13603	196 BHN
420	18.12	10.50	33.37	1	J11433	217 BHN
420	18.62	14.12	49.13	1	K13681	228 BHN
420	22.62	19.37	21.62	1	J11779	241-255 BHN
420	22.87	19.75	24.12	1	A22416	207-217 BHN
420	24.50	18.75	31.87	1	J11881	228 BHN
420F	3.37	1.25	56.62	1	C12047	217-228 BHN
420F	4.00	1.50	34.62	1	B29720	255 BHN
420F	4.50	1.25	64.87	1	B30361	228 BHN
420F	4.50	1.37	62.12	1	C12115	255 BHN
420F	6.00	1.87	68.00	1	A22052	241 BHN
420F	6.50	2.50	72.12	1	B29490	228 BHN
420F	6.50	3.00	32.25	1	A22260	228 BHN
420F	6.50	4.50	61.87	1	A22259	228 BHN
420F	6.75	2.50	42.62	1	A18132	269 BHN
420F	7.00	2.25	78.50	1	A22263	228 BHN
420F	7.00	3.50	77.62	1	A21922	228 BHN
420F	7.00	3.75	78.50	1	A22262	228 BHN
420F	7.00	4.75	59.62	1	A22261	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
420F	7.50	3.37	23.75	1	E11123	241 BHN
420F	7.50	4.25	28.25	1	B30515	241 BHN
420F	7.50	5.37	78.37	1	B31031	241-255 BHN
420F	7.75	5.12	56.25	1	D30012	241 BHN
420F	7.75	5.12	22.37	1	A23293	228 BHN
420F	8.00	4.00	65.12	1	K13177	228-241 BHN
420F	8.00	4.50	78.37	1	A22261	228 BHN
420F	8.00	5.75	55.50	1	A22054	241 BHN
420F	8.50	4.25	77.12	1	A22259	228 BHN
420F	8.50	5.00	77.12	1	A21440-1	228 BHN
420F	8.50	5.50	17.62	1	D26469-1	241 BHN
420F	8.50	6.37	76.25	1	A22051	241 BHN
420F	9.00	2.25	64.75	1	A21608	321 BHN
420F	9.00	2.75	49.00	1	E11137	228 BHN
420F	9.00	3.00	26.25	1	A21936	228 BHN
420F	9.00	5.00	10.75	1	K13180	255 BHN
420F	9.00	5.00	72.12	1	K13179	255 BHN
420F	9.00	5.75	78.50	1	A22263	228 BHN
420F	9.00	6.50	48.87	1	A20890	241 BHN
420F	9.00	6.75	57.12	1	A22262	228 BHN
420F	10.25	7.00	15.00	1	A22051	241 BHN
420F	11.50	7.00	57.87	1	J11558	228 BHN
420F	11.50	7.37	59.87	1	A22053	241 BHN
420F	11.50	8.37	12.37	1	A22054	241 BHN
420F	11.50	9.25	78.50	1	A23015	241 BHN
420F	11.62	7.25	0.50	1	B31295	248 BHN
420F	11.87	8.62	29.50	1	D28117	430 BHN
420F	12.12	9.00	17.50	1	A17507	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
420F	12.12	10.00	64.62	1	E7360	228 BHN
420F	12.25	8.12	20.12	1	A23293	444 BHN
420F	13.00	7.50	34.00	1	K13180	255 BHN
420F	13.00	11.00	52.12	1	E7548	228 BHN
420F	13.12	8.00	8.87	1	A17505	228 BHN
420F	13.12	10.00	12.87	1	A17506	228 BHN
420F	14.12	9.00	7.25	1	K12099	228 BHN
420F	14.12	9.00	64.25	1	E10884	228 BHN
420F	15.00	12.00	34.25	1	J11558	228 BHN
420F	15.12	8.00	11.62	1	K12068	217-228 BHN
420F	15.12	8.00	52.50	1	J11559	228 BHN
420F	18.12	10.62	75.50	1	J11564	228 BHN
420F	18.12	10.62	30.12	1	J10296	228 BHN
420F	18.12	13.00	27.87	1	K13286	255-269 BHN
420F	20.12	15.00	33.25	1	K13283	228-241 BHN
420F	20.12	17.00	21.75	1	K12044	241 BHN
440A	3.50	1.62	68.50	1	B24446	269-286 BHN
440A	4.12	1.50	36.87	1	B29323	286 BHN
440A	4.50	2.50	78.62	1	B31118	286 BHN
440A	4.50	2.50	46.50	1	B29222	241 BHN
440A	5.00	1.87	22.87	1	B30559	286 BHN
440A	5.00	3.00	6.62	1	B27087	269-286 BHN
440A	6.00	1.75	8.00	1	B30560	255 BHN
440A	6.00	3.87	78.62	1	D28049.	255 BHN
440A	6.75	4.50	27.00	1	B26508	277 BHN
440A	7.12	2.87	7.87	1	B29608-2	269 BHN
440A	7.12	2.87	7.87	1	B29608-1	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
440A	7.12	3.00	8.12	1	A18044	269 BHN
440A	7.12	4.00	58.87	1	E10227	269 BHN
440A	7.12	4.62	43.50	1	A19066	286 BHN
440A	7.12	5.00	66.37	1	D23941	269 BHN
440A	7.12	5.00	13.00	1	A16946	269-286 BHN
440A	7.25	3.75	48.37	1	A19926	286 BHN
440A	7.50	5.50	7.00	1	B24448	269-286 BHN
440A	8.00	3.75	65.25	1	E10225	277 BHN
440A	8.12	5.62	23.87	1	C12480	321 BHN
440A	8.50	4.50	48.00	1	A19281	269 BHN
440A	8.50	4.62	20.62	1	A16310	285 BHN
440A	8.50	5.00	10.75	1	A16309	285 BHN
440A	9.00	6.50	78.62	1	J11295	269 BHN
440A	9.00	7.25	10.37	1	D13106	302 BHN
440A	9.50	6.37	15.50	1	K13082	269 BHN
440A	10.00	3.25	5.50	1	A24795	286 BHN
440A	10.00	7.87	6.50	1	A17316	285 BHN
440A	10.25	6.87	65.50	1	A22613	255 BHN
440A	11.25	6.62	12.87	1	A13354	255 BHN
440A	11.62	6.87	13.37	5	A14780	255-269 BHN
440A	11.62	6.87	13.50	4	A14778	255-269 BHN
440A	11.62	6.87	13.62	5	A14785	255-269 BHN
440A	11.62	6.87	13.50	5	A14771	255-269 BHN
440A	11.62	6.87	13.50	4	A14779	255-269 BHN
440A	11.62	6.87	13.37	3	A14772	255-269 BHN
440A	11.62	6.87	8.75	1	A14772	255-269 BHN
440A	12.12	7.00	69.37	1	J11296	269 BHN
440A	12.12	8.00	8.25	1	A18389	286 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
440A	12.75	5.00	10.87	1	K13083	269 BHN
440A	13.12	8.00	61.50	1	A16945	286 BHN
440A	13.12	9.00	36.50	1	J10563	286 BHN
440A	13.12	10.00	11.00	1	A16946	286 BHN
440A	13.75	6.00	6.37	1	K13111-4	269 BHN
440A	19.62	12.00	16.87	1	J10814	255 BHN
440A	23.00	16.62	14.75	1	J10580	285 BHN
440A	23.12	16.12	13.50	1	J10911	241-255 BHN
440A	23.12	16.25	19.62	1	J10801	269 BHN
440B	8.50	4.62	12.25	1	D26666	277 BHN
440B	8.50	5.25	67.25	1	A23222	269 BHN
440C	4.75	3.87	78.50	1	B31495	302 BHN
440C	8.50	6.00	6.75	1	C11864	52 RC
440C	9.25	4.75	6.62	1	D28068	29 RC
440C	10.00	8.50	44.37	1	D28700	302 BHN
440C	10.12	8.50	10.62	1	B27369	302 BHN
440C	18.75	13.25	13.12	1	K10744	286 BHN MODIFIED
440C	18.75	13.25	17.87	1	J9783	255 BHN MODIFIED
440C	18.75	13.25	10.12	1	J9486	286 BHN MODIFIED
440C	20.75	17.25	15.75	1	D19229	302 BHN
440C	21.25	16.00	57.75	1	J11175	302 BHN
C958	13.50	7.75	12.62	2	K12002	
CA6	3.75	1.75	12.37	2	B22703-3	255 BHN NDT
CA6	3.75	1.87	12.37	1	D28145	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CA6	4.00	1.37	76.12	1	D30454	269 BHN
CA6	4.12	1.37	70.00	1	B33328	277 BHN
CA6	5.00	3.62	30.62	1	D28141	269 BHN
CA6	5.00	3.62	24.87	1	D28141	269 BHN
CA6	5.50	2.75	76.00	1	A25020	277-269 BHN
CA6	5.75	2.50	29.00	1	A24742	269 BHN CLASS A
CA6	6.00	2.87	35.50	1	D30346	255-269 BHN CLASS A
CA6	6.37	3.00	14.37	1	D28694	277 BHN
CA6	6.50	3.12	50.25	1	A24741	269 BHN CLASS A
CA6	6.62	4.00	24.00	1	D28143	269-277 BHN
CA6	7.00	3.37	10.75	1	D30345	255-269 BHN CLASS A
CA6	7.00	4.37	77.00	1	B33274	269 BHN
CA6	7.00	5.37	58.12	1	D30425	277 BHN
CA6	7.37	4.75	34.87	1	A24372	269 BHN
CA6	7.37	4.75	31.12	1	B32933	255-269 BHN
CA6	7.37	4.75	24.50	1	B32932	255-269 BHN
CA6	7.50	2.12	71.00	1	E11581	269 BHN
CA6	7.50	4.37	78.00	1	A24992	277 BHN
CA6	7.50	4.50	50.25	1	D25990	269 BHN
CA6	7.50	5.25	14.50	1	B22443	255 BHN
CA6	7.75	4.87	24.25	1	D30452	269 BHN
CA6	8.00	2.75	6.75	1	A17128	255 BHN CLASS A
CA6	8.00	4.62	33.62	1	D19269	269 BHN
CA6	8.00	4.75	23.50	1	D18366	269 BHN
CA6	8.00	4.75	33.50	1	J9704	269 BHN
CA6	8.00	4.75	25.62	1	A14659	269 BHN
CA6	8.00	4.75	23.25	1	D18372	269 BHN
CA6	8.00	4.75	23.00	1	D18087	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CA6	8.00	4.75	16.50	1	E7108	269 BHN
CA6	8.00	4.75	11.00	1	D18076	269 BHN
CA6	8.00	4.75	33.62	1	J9703	255-269 BHN
CA6	8.00	4.75	23.00	1	D18373	269 BHN
CA6	8.00	4.75	25.50	1	A14658	269 BHN
CA6	8.00	4.87	22.87	1	E9565	269 BHN
CA6	8.00	4.87	30.12	1	E9562-2	269 BHN
CA6	8.00	4.87	29.87	1	E9563	269 BHN
CA6	8.00	4.87	14.62	1	E9564-1	269 BHN
CA6	8.50	2.25	33.37	1	A24130	277 BHN
CA6	8.50	3.25	18.75	1	K12945	269 BHN
CA6	8.50	3.37	24.25	1	D22904	285 BHN
CA6	8.50	4.00	75.50	1	K11548	285 BHN
CA6	8.50	4.00	46.50	1	K11549	285 BHN
CA6	8.50	4.50	16.87	1	D18993	269 BHN
CA6	8.50	4.50	27.62	1	A14762	269 BHN
CA6	8.50	4.50	41.25	1	A15326-1	269 BHN
CA6	8.50	4.50	24.00	1	A15326-2	269 BHN
CA6	8.50	4.62	30.25	1	K11943	269 BHN
CA6	8.50	5.75	78.00	1	A24992	277 BHN
CA6	8.62	4.75	27.75	1	K11945	269 BHN
CA6	8.62	4.75	48.75	1	K11944	269 BHN
CA6	8.75	4.50	20.25	1	E10908	269 BHN
CA6	8.75	4.50	21.12	1	A14765	269 BHN
CA6	8.75	4.50	11.87	1	E9523	269 BHN
CA6	9.00	4.00	58.75	1	J11440	269 BHN
CA6	9.12	4.50	7.12	1	K13108	255 BHN
CA6	9.12	6.87	78.00	1	A25013	255-269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CA6	9.50	3.12	15.12	1	A22987	269 BHN
CA6	9.50	3.62	46.75	1	A24665	255 BHN CLASS A
CA6	9.50	5.50	19.87	1	A21501	255 BHN
CA6	9.50	5.75	101.00	1	A25020	277-269 BHN
CA6	9.75	7.62	37.00	1	A21715	255 BHN
CA6	10.00	6.00	8.00	1	D26267	269 BHN
CA6	10.25	5.00	21.87	1	E9649	269 BHN
CA6	10.50	6.00	39.50	1	E9644	285 BHN
CA6	10.50	6.25	71.25	1	E11457	255 BHN CLASS A
CA6	10.50	7.25	19.37	1	D26743	255 BHN NDT
CA6	10.62	5.00	43.75	1	A22509	255-269 BHN
CA6	11.00	7.75	92.00	1	J12260	255 BHN
CA6	11.00	7.87	35.75	1	E11492	269 BHN
CA6	11.12	5.75	10.12	1	E9647	269 BHN
CA6	11.12	8.12	23.87	1	D28755	255 BHN
CA6	11.12	8.12	37.50	1	A20675	255 BHN
CA6	11.75	7.62	19.87	1	A22441	255 BHN
CA6	12.12	7.50	16.75	1	B31647	269 BHN
CA6	12.12	9.25	26.75	1	A22630	255 BHN
CA6	12.25	8.75	23.37	1	B33307	241-255 BHN
CA6	13.12	9.87	38.37	1	A21850	255 BHN NDT
CA6	13.75	11.50	83.25	1	K11565	285 BHN
CA6	14.12	7.12	9.62	1	J9749	255-269 BHN
CA6	14.37	6.12	86.75	1	K13960	269 BHN CLASS A
CA6	14.75	12.62	7.37	1	A20933-1	277 BHN
CA6	15.00	8.50	13.00	1	J9751	269 BHN
CA6	15.50	9.25	20.87	1	A19951	340 BHN
CA6	15.75	5.62	12.75	1	K13143	241 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CA6	15.75	5.62	17.50	1	K13143-1	241 BHN
CA6	15.75	7.37	32.87	1	J11235	285 BHN
CA6	15.75	11.37	18.62	1	E11107	255 BHN NDT
CA6	15.87	8.87	22.62	1	J11258	255 BHN
CA6	15.87	10.50	11.00	1	K12395-2	285 BHN
CA6	15.87	10.50	10.87	1	K12395-2	285 BHN
CA6	15.87	10.50	8.75	1	K12395-1	285 BHN
CA6	16.50	10.87	8.75	1	LA55 2	255 BHN
CA6	16.50	10.87	17.00	1	LA54 2	269 BHN
CA6	17.12	11.00	52.50	1	J11732	255 BHN
CA6	18.75	14.25	27.62	1	K13686	255 BHN NDT
CA6	18.75	14.25	18.62	1	K13686	255 BHN NDT
CA6	18.75	16.50	34.25	1	A23593	241-255 NDT
CA6	19.00	17.00	13.00	1	K12945	269 BHN
CA6	19.25	13.25	46.25	1	LA758	269 BHN
CA6	19.25	14.12	51.12	1	LA757	241-255 BHN
CA6	20.12	11.50	7.12	1	J11530	269 BHN
CA6	20.62	14.12	12.87	1	A24697	28 RC
CA6	21.62	15.25	38.00	1	A23185	269 BHN
CA6	22.50	17.87	16.37	2	J11916	269 BHN
CA6	23.50	16.75	22.75	1	K13826	255 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Carbon Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
WC9	9.87	6.75	24.37	1	B31196	
WC9	10.62	5.00	15.87	1	A18955	
WC9	10.62	6.00	12.12	1	J11067	
WCB	10.37	7.75	13.50	1	D23767	
WCC	5.00	2.50	17.87	1	B27670	
WCC	6.00	2.75	18.00	1	B27680	
WCC	12.12	8.87	32.25	1	A19678	
WCC	14.50	9.50	13.25	1	D28614	196 BHN
WCC	14.50	10.25	0.13	1	E10587	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Carbon Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CO3	6.12	4.50	22.62	1	C11474	52 RC
CO3	9.00	6.37	17.12	1	D24200	52 RC

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
D50	3.50	1.50	51.12	1	C11447	
D50	4.00	1.50	29.87	1	B15992	
D50	4.50	1.50	42.87	1	B27146	
D50	5.25	2.00	43.50	1	B16751	
D50	5.50	2.00	77.25	1	D23019	
D50	5.75	2.75	28.25	1	D18802	
D50	6.00	1.87	32.25	1	D23503-2	
D50	6.00	2.75	77.00	1	A21978	
D50	6.00	3.00	20.00	1	K12143	
D50	6.12	1.75	25.75	1	B30729	
D50	6.25	3.12	37.00	1	D16772	
D50	6.25	3.12	37.00	1	D16773	
D50	6.25	3.12	29.50	1	D16776	
D50	6.25	3.12	37.25	1	D16774	
D50	6.37	2.87	14.87	2	B23811	
D50	6.50	2.87	34.37	1	B27691	
D50	6.50	4.00	54.00	1	D19057	
D50	6.62	3.50	11.75	1	J8823	
D50	6.62	3.50	77.50	1	B27147	
D50	6.75	5.00	48.50	1	D18801	
D50	6.75	5.00	78.00	1	D18802	
D50	6.75	5.37	16.62	1	B22180	
D50	7.00	3.75	19.25	1	C12416	
D50	7.12	2.75	20.87	1	C12754	
D50	7.50	2.62	77.62	1	A21978	
D50	7.50	3.00	19.37	1	D23725	
D50	7.75	4.50	20.62	1	J10918	
D50	8.00	4.00	78.00	1	J10919	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
D50	8.50	3.50	76.12	1	A19295	
D50	9.00	5.00	35.87	1	J10919	
D50	9.25	4.00	77.87	1	J10873	
D50	10.00	7.00	24.25	1	B30729	
D50	10.25	5.00	23.37	1	J10875	
D50	10.25	7.00	11.00	1	K12143	
D50	10.50	7.00	57.00	1	J9766	
D50	10.50	7.12	15.62	1	D24150	
D50	11.25	5.50	42.12	1	J10875	
D50	11.75	3.87	19.50	1	D23553	
D50	12.25	6.50	77.75	1	J10873	
D50	12.25	8.50	54.37	1	A17615	
D50	12.50	8.00	72.12	1	A15355	
D50	12.50	8.50	73.00	1	A15356	
D50	12.50	8.62	11.75	1	A13778	
D50	12.62	9.25	15.00	1	D24150	
D50	13.12	6.00	26.75	1	J9764	
D50	13.12	7.50	77.25	1	J10874	
D50	13.12	8.00	66.50	1	A15357	
D50	13.12	9.50	77.50	1	K12143	
D50	13.12	10.00	42.87	1	J9770	
D50	13.12	11.00	30.12	1	K8766	
D50	14.12	7.00	77.37	1	J9772	
D50	14.12	8.50	75.87	1	J10918	
D50	14.12	9.00	76.00	1	A15349	
D50	22.62	18.37	22.62	1	A22628	
D60	5.25	4.12	58.25	1	A19962	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
D60	6.00	2.62	78.00	1	J12241	
D60	7.00	3.75	7.37	1	A21946	
D60	7.00	4.00	69.62	1	K14069	
D60	7.87	4.62	78.00	1	A24967	
D60	8.00	4.12	66.25	1	A21904	
D60	8.00	4.50	21.00	1	D19096	
D60	8.00	4.75	23.62	1	A21905	
D60	8.50	6.37	70.00	1	K14067	
D60	9.00	4.50	22.37	1	A15417	
D60	9.25	4.50	52.13	1	A21904	
D60	9.25	4.75	44.25	1	A21970	
D60	9.25	5.75	71.00	1	A24969	
D60	9.75	4.62	51.37	1	E9669	
D60	9.75	4.75	34.75	1	E9668	
D60	9.75	5.00	72.12	1	A15379	
D60	10.25	5.75	76.75	1	A21901	
D60	10.25	6.75	56.00	1	D26774	
D60	10.50	4.75	35.25	1	K12610	
D60	10.62	7.25	77.00	1	A24970	
D60	11.50	9.37	77.00	1	A24968	
D60	12.12	10.50	13.87	1	A19962	
D60	12.62	10.37	76.00	1	K14063	
D60	14.75	12.25	13.50	1	B28949	
D60	19.00	16.12	10.25	1	D22530	
D60	24.50	19.50	23.37	1	A22629	
D60	25.00	19.87	25.62	1	J11702	
D60	26.00	20.37	29.50	1	E10853	
D88	4.75	1.87	24.37	1	A22996	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
D88	4.75	1.87	47.50	1	B31287	
D88	5.00	2.87	29.00	1	B27603	
D88	5.50	3.25	10.62	1	B28252-1	
D88	5.50	3.25	12.25	2	B28252-2	
D88	6.12	4.00	23.50	1	B29074	
D88	6.50	4.37	25.87	1	B30664	
D88	7.50	5.75	17.50	1	C10098	
D88	7.87	5.50	14.62	1	B21150	
D88	7.87	5.62	14.62	1	C11007-1	
D88	7.87	5.62	12.50	1	C11007-2	
D88	10.37	6.50	15.12	1	D27230	
D88	10.50	6.50	13.87	1	D27231	
D88	12.50	8.50	14.75	1	A10941	
D88	13.75	11.37	22.12	1	B27873	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
254	7.75	5.25	15.00	1	D28297	
254	8.50	5.25	13.37	1	E10702	156 BHN
254	8.50	5.25	13.50	1	E10702	156 BHN
254	9.25	5.87	18.87	1	A18960	179 BHN
254	11.12	7.75	11.37	1	D28297	
254	14.50	5.75	12.50	1	A23133	
2205	3.37	1.50	19.25	1	A20010	
2205	4.00	1.50	54.50	1	C12853	
2205	4.37	1.50	77.25	1	D30183	
2205	5.00	1.62	70.25	1	D30183	
2205	5.50	2.00	54.87	1	B32499	
2205	6.00	3.00	53.87	1	A24619	
2205	6.00	3.25	6.37	1	D27488	
2205	6.50	3.12	32.50	1	D29666	
2205	8.00	4.62	72.75	1	D30186	
2205	8.50	5.62	73.87	1	D30185	
2205	8.50	5.75	35.50	1	A20621	
2205	8.50	5.75	26.00	1	A22217	
2205	9.00	5.50	68.25	1	D30187	
2205	9.00	5.87	47.75	1	A22046	
2205	9.00	6.00	10.37	1	A21197	
2205	9.50	4.50	68.75	1	A24570	
2205	9.50	6.12	101.50	1	A24619	
2205	9.50	6.25	45.50	1	A22046	
2205	9.62	5.62	11.75	1	D24691	
2205	10.25	7.00	41.50	1	J11634	
2205	10.37	6.75	76.75	1	D30207	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
2205	12.50	9.00	36.25	1	J11906	
2205	19.00	15.62	15.37	1	A16931-1	
2205	19.00	15.62	15.25	1	A16931-1	
3A	7.00	4.87	20.37	1	C11275	
5A	7.25	5.25	36.37	1	B28399	
5A	12.25	9.25	11.00	1	B27113	27 RC
5A	15.50	12.50	14.50	1	B25871	
5A	16.50	14.00	43.00	1	A19542	
5A	19.12	13.62	37.62	1	J11514	
CD4	3.00	1.25	18.50	1	B31158	269 BHN
CD4	3.00	1.75	9.12	1	B16124	
CD4	3.50	1.25	23.37	1	A22383	269 BHN
CD4	4.62	3.12	12.62	1	C10097	
CD4	5.25	3.12	47.75	1	B33364	27 RC
CD4	5.50	2.37	60.62	1	B32817	
CD4	6.37	3.75	6.50	1	D21648	
CD4	6.50	3.25	62.25	1	B32315	269 BHN
CD4	6.50	3.75	40.25	1	E10249	269 BHN
CD4	6.50	4.37	78.00	1	B30454	
CD4	7.00	3.62	73.50	1	B32295	
CD4	7.00	4.37	8.37	1	B29312	
CD4	7.00	4.87	18.62	1	B29711	269 BHN
CD4	7.12	3.12	77.87	1	A21359	
CD4	7.12	3.87	20.50	1	D18094	
CD4	7.12	4.00	14.12	1	B26646	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CD4	7.12	4.25	46.62	1	B30763	293 BHN
CD4	7.75	5.50	19.50	1	C11932	302 BHN
CD4	7.75	5.75	11.12	1	B31286	269 BHN
CD4	7.75	5.75	19.75	1	C12479	286-302 BHN
CD4	7.87	5.75	28.12	1	B32215	
CD4	8.00	4.62	52.12	1	K13290	
CD4	8.00	4.75	66.12	1	A22383	269 BHN
CD4	8.00	4.75	43.25	1	A24196	
CD4	8.50	3.62	66.37	1	A22020	
CD4	8.50	4.00	12.37	1	D18965	
CD4	9.00	4.75	57.25	1	A22021	
CD4	9.00	6.87	23.37	1	A22020	
CD4	9.25	3.75	20.25	1	E10249	
CD4	9.50	3.25	34.12	1	A21898	
CD4	9.50	6.00	15.75	1	A21358	
CD4	9.75	4.50	36.37	1	A19210	
CD4	10.00	6.50	23.75	1	A12926	
CD4	10.00	7.37	45.25	1	A24196	286-302 BHN
CD4	10.25	5.00	44.12	1	A18721	
CD4	10.25	7.00	19.12	1	D21770	
CD4	10.37	6.00	13.25	1	B29825	286 BHN
CD4	10.75	5.50	6.62	1	J8956	
CD4	10.75	5.50	7.25	1	A13927	
CD4	11.12	4.00	36.00	1	A15300	
CD4	11.12	8.12	9.87	1	B31158	269 BHN
CD4	11.25	4.37	10.50	1	J8956	
CD4	11.25	6.00	28.25	1	A18421	
CD4	11.50	8.00	10.25	1	A21359	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CD4	12.25	6.50	40.62	1	A19144	
CD4	12.37	8.50	13.25	1	A15202	
CD4	12.62	8.37	16.00	1	K12891	269 BHN
CD4	13.00	10.50	69.00	1	D19180	300 BHN
CD4	13.12	7.00	71.75	1	K11575	269 BHN
CD4	13.12	7.50	66.25	1	K12608	
CD4	13.12	8.00	62.25	1	A15279	
CD4	13.12	9.00	11.62	1	A15280	
CD4	13.50	8.50	78.25	1	A15309	
CD4	13.75	9.50	34.00	1	A12817	
CD4	13.87	9.50	62.75	1	K10665	
CD4	14.12	8.50	30.00	1	J10609	
CD4	14.25	10.00	59.12	1	K13288	
CD4	17.00	12.87	14.00	1	D29220	286 BHN
CD4	18.75	16.37	16.62	1	D27014	
CD4	19.75	16.50	7.87	1	D21300	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Monel Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
MON E / M30-C	7.00	5.50	12.00	4	D24805	
MON E / M30-C	14.00	12.25	14.12	2	D23050	
MON E / M30H	3.00	1.62	15.00	1	B25903	255 -269 BHN
MON E / M30H	3.00	1.75	15.00	1	C11656	255-269 BHN
MON E / M30H	5.50	3.62	12.00	1	B26835	
MON E / M30H	5.50	3.75	13.25	1	C11525	
MON E / M30H	5.87	2.62	13.75	1	C12315	255 BHN
MON E / M30H	13.62	8.50	10.62	1	D24651	
MON R / M35-1	5.50	2.87	13.75	1	B29001	143 BHN
MON R / M35-1	7.25	5.37	22.50	1	B28295	143 BHN
MON R / M35-1	9.00	6.62	11.75	1	D20571-2	
MON S / M25S	3.50	1.75	14.50	4	B27701	302 BHN
MON S / M25S	4.00	2.37	10.62	1	C9248	321 BHN
MON S / M25S	4.00	2.37	10.50	1	C9248	321 BHN
MON S / M25S	4.00	2.37	10.25	1	C9248	321 BHN
MON S / M25S	4.87	1.75	31.25	1	B26510	364 BHN
MON S / M25S	5.75	2.12	43.00	1	B26509	364 BHN
MON S / M25S	7.25	4.25	7.75	1	B24594-1	387 BHN
MON S / M25S	7.25	5.12	21.00	1	C12314	340 BHN
MON S / M25S	8.37	5.62	24.37	1	B29893	340 BHN
MON S / M25S	9.37	5.62	19.12	1	B29894	340 BHN
MON S / M25S	10.37	7.62	10.75	1	A15986	340 BHN
MON S / M25S	10.37	8.00	10.75	1	D19818-1	340 BHN
MON S / M25S	13.62	10.87	57.25	1	A20654	340 BHN
MON S / M25S	15.12	10.62	7.75	1	D25689-1	387 BHN CL3

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Nickel Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
CW2M	3.75	1.87	29.00	1	C11572	
I600	9.00	4.50	14.50	1	B23889-2	
I600	11.12	6.75	22.75	1	D16698	
I625	4.25	1.75	12.37	4	C11530	
I625	4.25	1.75	12.25	1	C11530	
I625	4.50	2.50	78.50	1	B27213	
I625	6.12	3.50	7.25	1	D24144	
I625	6.12	3.75	12.00	1	B24021	
I625	6.62	3.25	19.12	1	C11764	
I625	7.12	4.00	23.50	1	C12384	
I625	7.12	4.87	14.50	1	B26956	
I625	7.50	5.00	30.50	1	D15187	
I625	10.00	7.37	14.37	1	D19157	
I625	12.25	9.25	10.00	1	D24689	
I625	14.75	11.87	7.87	1	B22982	
I625	17.00	13.75	14.50	1	D24585	
I625	17.37	11.12	16.37	1	K12939	
I625	17.87	14.37	14.37	1	E10670	

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



NiResist Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
NI1	19.25	15.75	14.75	1	A21832	143 BHN
NI2	4.00	1.50	54.00	1	D25724	131 BHN
NI2	4.50	1.50	71.00	1	D25725	131 BHN
NI2	6.12	3.00	50.00	1	D25725	131 BHN
NI2	7.12	4.00	24.00	1	A21973	149 BHN
NI2	7.50	4.50	71.12	1	A21972	149 BHN
NI2	8.12	5.00	44.25	1	D25724	131 BHN
NI2	8.62	3.75	67.12	1	A21972	149 BHN
NI2	8.62	5.50	47.75	1	E10595	143 BHN
NI2	12.62	8.50	13.00	1	A21973	149 BHN
NID2	8.50	5.50	11.25	1	A18995-2	187 BHN
NID2	10.25	4.25	11.12	1	B27304	179 BHN
NID3	9.62	6.12	12.75	1	D23408	163 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Round Bar Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
17-4	4.50	0.00	37.50	1	255865-1	33 RC H1150 DBL
17-4	4.50	0.00	75.75	1	254539	349 BHN SA
17-4	4.50	0.00	157.12	1	255865-2	33 RC H1150 DBL
17-4	4.75	0.00	43.62	1	253322-1	346 BHN SA
17-4	4.75	0.00	44.00	1	255053-2	33 RC H1150 DBL
17-4	5.00	0.00	149.50	1	254841-2	33 RC H1150 DBL
17-4	5.00	0.00	42.00	1	254841-1	351 BHN SA
17-4	5.00	0.00	137.00	1	254841-3	33 RC H1150 DBL
17-4	5.00	0.00	99.12	1	254841-4	351 BHN SA
17-4	5.25	0.00	153.50	1	253319-1	352 BHN SA
17-4	5.25	0.00	154.37	1	254699-2	33 RC H1150 DBL
17-4	5.25	0.00	156.25	1	253319-2	352 BHN SA
17-4	5.25	0.00	143.62	1	254699-1	33 RC H1150 DBL
17-4	5.50	0.00	157.37	1	255690	357 BHN SA
17-4	5.50	0.00	157.37	1	255690	357 BHN SA
17-4	5.50	0.00	157.25	1	255690	357 BHN SA
17-4	5.50	0.00	109.25	1	255593-1	31 RC H1150 DBL
17-4	5.50	0.00	157.12	1	255593-2	31 RC H1150 DBL
17-4	5.75	0.00	155.50	1	254160-1	343 BHN SA
17-4	6.00	0.00	128.50	1	423963-2	343 BHN SA
17-4	6.00	0.00	95.37	1	423963-1	343 BHN SA
17-4	6.50	0.00	120.12	1	252166	32 RC H1150 DBL
17-4	6.50	0.00	104.87	1	423991-2	357 BHN SA
17-4	6.50	0.00	122.25	1	423991-1	357 BHN SA
17-4	6.50	0.00	152.00	1	373720	294 BHN H1150 DBL
17-4	6.75	0.00	13.25	1	255315	33 RC H1150 DBL
17-4	6.75	0.00	290.75	1	252287	32 RC H1150 DBL
304L	5.00	0.00	118.25	1	97087-1	187 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com

Nicholas: nfleegeer@texasstainless.com

Inventory



Round Bar Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Condition
304L	6.00	0.00	157.25	1	96787-1	170 BHN
304L	6.00	0.00	195.25	1	96787-2	170 BHN
304L	6.25	0.00	106.87	1	96424	170 BHN
304L	7.00	0.00	84.37	1	97186	174 BHN
304L	7.00	0.00	203.37	1	97087-2	170 BHN
316L	1.25	0.00	143.00	1	E80461-1	174 BHN
316L	1.25	0.00	143.00	2	E80461-2	174 BHN
316L	1.25	0.00	140.00	1	9295H-1	24 RC