

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Machined Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	6.25	3.62	25	1	A22917	321 BHN <i>Rough Turned</i>
17-4	14.50	12.50	25.62	1	A20701	321-340 BHN <i>Rough Machined</i>
17-4	14.50	12.75	30.75	1	K13171	340 BHN <i>Rough Machined</i>
316	20.62	14.50	22.62	1	K13136	14 RC <i>Rough Machined</i>
316L	9.37	7.87	21	1	A23962	<i>Rough Machined</i>
410	14.25	10.87	8.75	1	K13872	217-228 BHN <i>Rough Bored</i>
440A	11.62	6.87	13.62	5	A14780	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.5	4	A14778	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.37	5	A14785	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.5	5	A14771	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.5	4	A14779	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.37	3	A14772	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	8.75	1	A14772	255-269 BHN <i>Rough Machined</i>
CA6	3.00	2.50	12.37	2	B30547	255 BHN <i>Rough Machined</i>
CA6	4.50	2.49	17.75	1	D29084	255 BHN <i>Rough Machined</i>
CA6	4.50	2.49	11.87	1	D29084	255 BHN <i>Rough Machined</i>
CA6	18.75	14.25	26.12	1	K13686	255 BHN NDT <i>Rough Bored</i>
CD4	10.75	5.50	7.25	1	A13927	<i>Rough Machined</i>

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Machined Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
D50	10.50	7.12	15.5	1	D24150	<i>Rough Machined</i>
MONE	7.00	5.50	12	4	D24805	<i>Rough Machined</i>

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



17-4 PH Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	3.00	1.50	10.75	1	C10221	340 BHN
17-4	3.00	1.62	12.25	1	B28256	340 BHN
17-4	3.75	1.75	78.37	1	D28921	321 BHN
17-4	4.50	2.75	17.25	1	A22665	321 BHN SA
17-4	4.62	2.12	25.25	1	D29305	351 BHN
17-4	4.62	2.62	46.37	1	D29304	351 BHN
17-4	4.62	2.75	14	1	B26243	321-340 BHN SA
17-4	4.62	2.87	12.75	1	C11038	321 BHN SA
17-4	5.00	2.00	42.5	1	A24176	340 BHN
17-4	5.00	3.00	63.75	1	B31821	321 BHN
17-4	5.25	1.87	70.62	1	B29306	340 BHN
17-4	5.25	2.37	18.5	1	D27226	321-340 BHN SA
17-4	5.25	2.62	16.25	1	D27778	321 BHN
17-4	5.25	2.62	22.25	1	B30800	340 BHN
17-4	5.25	3.62	17.87	1	B22791	340 BHN H1025
17-4	5.25	3.62	16.5	1	B22791	340 BHN H1025
17-4	5.25	3.62	18	1	B22793	340 BHN H1025
17-4	5.25	3.62	17.87	1	B22792-1	340 BHN H1025
17-4	5.25	3.62	21.25	1	K9385	340 BHN H1025
17-4	5.37	3.12	41.25	1	D29402	340 BHN
17-4	5.50	1.75	12.87	1	B29848	302 BHN H1150 DBL
17-4	5.50	2.25	11.88	1	D23052	340 BHN H1025
17-4	5.50	2.37	21.87	1	D29207	321-340 BHN
17-4	5.50	3.75	40.12	1	D29237	340 BHN
17-4	5.87	4.00	72.37	1	A21896	340 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



17-4 PH Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	6.00	2.62	22.25	1	A20709	340 BHN
17-4	6.00	2.62	16.75	1	B31501	321 BHN
17-4	6.00	2.62	15	1	B27072	321-340 BHN SA
17-4	6.00	2.87	10.87	1	A16755	340 BHN H1025
17-4	6.00	3.12	40	1	A18525	340 BHN SA
17-4	6.00	3.25	21	1	D19313	321 BHN SA
17-4	6.00	3.50	28.62	1	A24018	340 BHN
17-4	6.00	3.62	27.87	1	A22604	340 BHN
17-4	6.00	3.75	46.75	1	A20917	302 BHN H1150 DBL
17-4	6.12	2.00	19.5	1	E11205	340 BHN
17-4	6.12	4.25	24.62	1	C12281	340 BHN
17-4	6.25	3.62	25	1	A22917	321 BHN <i>Rough Turned</i>
17-4	6.37	2.62	25.87	1	K12856	340 BHN
17-4	6.50	3.00	47.87	1	D28921	321 BHN
17-4	6.50	4.62	48.5	1	D31236	302 BHN
17-4	6.62	4.00	78.25	1	D31451	340 BHN
17-4	6.62	4.00	78.12	1	D31451	340 BHN
17-4	7.00	3.87	37	1	J11870	321-340 BHN
17-4	7.00	4.25	11.25	1	A23285	340 BHN
17-4	7.00	5.00	35.25	1	D29139	418 BHN
17-4	7.12	4.75	34.12	1	D27182	321-340 BHN
17-4	7.75	5.50	73.25	1	D30842	321 BHN
17-4	7.87	5.25	35.25	1	A22970	340 BHN
17-4	7.87	6.12	33	1	A22454	340 BHN 1025
17-4	8.00	2.75	21.87	1	B26427	340 BHN SA

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



17-4 PH Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	8.25	4.00	13.25	1	B28649	340 BHN
17-4	9.12	6.87	71.87	1	A23727	321 BHN
17-4	9.50	6.75	11.75	1	J11206	302 BHN H1150 DBL
17-4	9.50	6.87	23.62	1	D29360	351 BHN
17-4	9.50	7.75	21	1	C12570	321-340 BHN
17-4	9.75	8.25	38.12	1	A18690	340 BHN SA
17-4	10.50	8.37	15.13	1	A23693	302 BHN H1150D
17-4	11.12	9.00	25.87	1	E10458	321 BHN
17-4	11.25	9.25	30	1	A25073	321 BHN
17-4	11.50	9.37	29.25	1	A23895	340 BHN
17-4	12.12	9.37	60.5	1	D20572	321-340 BHN
17-4	12.12	10.00	11	1	E11206	340 BHN SA
17-4	13.12	8.50	21	1	D27620	321-340 BHN
17-4	13.50	11.37	64.25	1	A23895	340 BHN
17-4	14.50	10.50	27.88	1	A23870	340 BHN
17-4	14.50	11.37	12.12	3	K12706	302 BHN H1150 DBL
17-4	14.50	12.50	25.62	1	A20701	321-340 BHN <i>Rough Machinec</i>
17-4	14.50	12.75	30.75	1	K13171	340 BHN <i>Rough Machined</i>
17-4	14.75	11.62	37.25	1	K13172	340 BHN
17-4	14.75	11.75	37.37	1	A20702	321-340 BHN
17-4	15.00	10.37	19.12	1	K13094	387 BHN H900
17-4	15.00	11.75	17.5	1	A23410	340 BHN
17-4	15.12	10.50	22.75	1	J11466	340 BHN
17-4	15.50	13.37	34.37	1	A20165	340 BHN SA
17-4	16.00	11.75	15.5	1	A22854	387-418 BHN H900

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



17-4 PH Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	16.50	13.25	42.87	1	A25294	30 HRC 1150
17-4	16.62	9.25	47.75	1	J12138	340 BHN
17-4	17.00	14.12	18	1	A20803	321-340 BHN
17-4	17.00	14.12	12	1	A20803	321-340 BHN
17-4	17.12	13.62	8.12	1	J11242	340 BHN
17-4	17.75	14.25	47.12	1	A25278	30 1150 DBL
17-4	18.75	9.37	21.12	1	J12113	340 BHN H1075
17-4	18.75	14.00	17.12	1	K13974	340 BHN
17-4	18.87	15.25	24.37	1	A20804	321-340 BHN
17-4	20.62	16.12	18.75	1	K12913	311 BHN H1100
17-4	20.75	14.75	16.75	1	J10486	340 BHN SA
17-4	21.00	12.00	32	1	J11700	418 BHN H900
17-4	21.00	14.00	12.37	1	A19904	340 BHN SA
17-4	21.62	14.75	27.12	1	K13148	340 BHN H1075
17-4	27.37	22.75	22.75	1	A19491	302 BHN H1150 DBL

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
303	9.00	5.12	22.25	1	D27300	
303	9.37	5.75	17.5	1	D19864-1	
303	9.37	5.75	15	1	D19864-2	
303	15.87	13.50	21	1	A18001	
303	16.87	14.37	35.25	1	A15645	
303	20.62	15.62	24.37	1	J10821	
303	20.62	15.75	36.75	1	J10517	
303	20.62	16.00	32.37	1	J10508	
303	21.37	18.75	39.62	1	A21307	
303	23.00	20.00	77	1	K12574	
303	25.00	18.37	19.25	1	J11104	
304	7.12	5.62	94.87	1	A19604	
304	9.00	6.37	37.87	1	A15164	
304	9.00	6.37	37.87	1	A15094	
304	9.00	6.37	11.37	1	A15136	
304	9.00	6.37	13.25	1	A15139	
304	9.00	6.37	20.12	1	A15166	
304	9.00	6.37	13	1	A15140	
304	9.12	6.00	9.87	1	K12569	
304	9.12	6.37	34	1	A15260	
304	9.12	6.37	37.75	1	A15259	
304	9.12	6.37	37.62	1	A15258	
304	9.12	6.37	22.5	1	A15402	
304	9.50	3.62	8.87	1	A20108	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
304	11.12	8.50	10.25	1	K12340	
304	12.12	9.00	7.5	1	D30458	
304	13.12	11.12	17.25	1	D21705	
304	13.37	10.00	15	1	A18675	
304	17.00	11.75	8.87	1	A17453	
304	17.00	11.75	10.12	1	A17454	
304	19.00	16.00	13.62	2	K12681	
304	19.00	16.00	13.5	1	A19380	
304	19.00	16.12	14.37	1	D24270	
304	22.62	20.00	6.62	1	LA486	
304	24.50	19.87	16.37	1	J10798	
304	24.50	20.00	12.62	1	K12334-1	
304	24.50	20.00	7.12	1	K12334-2	
304	24.50	20.00	12.62	1	J9286	
304L	3.62	1.25	64.62	1	D29136	
304L	3.75	1.50	18.37	1	D27798	
304L	3.75	1.50	77.87	1	B32814	
304L	4.00	1.12	41.25	1	D27799	
304L	4.00	1.37	76.87	1	C12521	
304L	4.00	1.37	77.25	1	A24040	
304L	4.50	1.50	72.13	1	E11235	
304L	5.00	1.75	36.75	1	D27159	
304L	5.00	2.00	33.75	1	D31169	
304L	5.37	3.37	77.5	1	D31428	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
304L	5.50	2.25	16.25	1	D27159	
304L	5.50	2.25	77.75	1	D29376	
304L	5.50	2.37	77.75	1	B33659	
304L	5.50	3.25	49.25	1	D30178	
304L	5.50	3.50	22.62	1	B33658	
304L	6.00	2.75	26.37	1	B30348	
304L	6.00	2.87	77.87	1	D31429	
304L	6.00	3.00	65.75	1	B33698	
304L	6.00	3.87	66.5	1	D31428	
304L	7.00	1.75	18.63	1	C12540	
304L	7.00	2.62	76.87	1	D31446	
304L	7.00	2.75	78	1	A22012	
304L	7.00	3.62	43.37	1	A21431	
304L	7.00	3.75	77	1	D31445	
304L	7.00	3.87	69.62	1	B33660	
304L	7.00	4.75	39	1	D30179	
304L	7.00	4.87	55.87	1	D31168	
304L	7.50	4.00	70.5	1	D31169	
304L	7.50	4.37	6.25	1	D28838	
304L	7.50	4.50	77.75	1	D30178	
304L	7.50	5.37	77.87	1	D31427	
304L	7.62	5.12	31	1	B33728	
304L	7.75	4.25	59.25	1	A24039	
304L	7.87	3.75	76.87	1	A24040	
304L	8.00	2.62	76.75	1	A24041	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
304L	8.00	3.75	78	1	A25407	
304L	8.00	4.00	23.87	1	A21415	
304L	8.00	4.87	68.37	1	A24039	
304L	8.00	5.87	77.75	1	D31429	
304L	8.00	6.00	40.37	1	A21413	
304L	8.50	3.37	42.87	1	J11596	
304L	8.50	5.25	101	1	K14195	
304L	8.50	5.37	54.37	1	D31183	
304L	8.50	5.50	46	1	A21435	
304L	8.50	6.37	73.37	1	A23697	
304L	8.62	3.37	76.5	1	J11942	
304L	8.62	4.62	12.12	1	E11520	170 BHN
304L	9.25	4.75	64.12	1	D30180	
304L	9.25	5.75	70.25	1	K14147	
304L	9.25	6.00	8.12	1	E10088	
304L	9.37	6.75	21.62	1	A24877	
304L	9.50	2.62	8	1	J11391	
304L	9.50	2.62	7.75	3	J11391	
304L	9.62	4.00	76	1	A25427	
304L	9.75	6.50	66.37	1	A21432	
304L	9.87	7.75	21	1	D26525	
304L	9.87	7.75	25.87	1	A21661	
304L	10.12	7.00	27.75	1	A25446	
304L	10.12	7.00	22.75	1	A23876	
304L	10.25	4.75	17.87	1	J12004	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
304L	10.25	4.87	63.5	1	A23698	
304L	10.25	5.50	18.5	1	A23914	179 BHN
304L	10.25	5.62	76.62	1	A25426	
304L	10.25	6.00	67.12	1	A21361	
304L	10.25	6.75	76	1	E11620	
304L	10.25	6.87	36.87	1	A22014	
304L	10.25	7.00	15.12	1	K13164	
304L	10.25	7.75	29.25	1	A22281	
304L	10.25	7.75	76.75	1	A25407	
304L	10.37	6.25	7.25	1	J10953	
304L	11.00	9.00	25	1	D22540	
304L	11.12	6.12	54.5	1	A24042	
304L	11.25	4.00	8.25	1	A19274	
304L	11.25	6.00	8.25	1	A17942	
304L	11.25	6.00	12.37	1	A20090	
304L	11.50	6.00	35.75	1	A22011	
304L	11.50	6.12	77	1	A25442	
304L	11.50	7.12	76.75	1	A25264	
304L	11.50	7.25	30.25	1	A22013	
304L	11.50	7.50	77.75	1	A23509	
304L	11.50	8.37	42	1	A22012	
304L	11.50	8.50	71.75	1	J11941	
304L	11.50	9.87	41	1	B27520	
304L	12.12	6.50	12.88	1	D29187	
304L	12.12	8.00	7.75	1	A17943	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
304L	12.12	8.25	77.5	1	K14147	
304L	12.25	7.87	77.62	1	J12005	
304L	12.50	5.50	66.87	1	J12357	
304L	12.50	10.37	31.12	1	D25629	
304L	12.62	9.12	7.12	1	A19270	
304L	12.62	9.12	26.12	1	A19273	
304L	12.62	9.12	17	1	A19262	
304L	13.12	5.50	23.25	1	J12006	
304L	13.12	6.25	22	1	K13735	
304L	13.12	7.12	63.87	1	E11601	
304L	13.12	7.12	76.75	1	K14195	
304L	13.12	10.50	73	1	K12314	
304L	13.12	11.12	22	1	E10088	
304L	13.12	11.12	17	1	E10086	
304L	13.12	11.12	16.87	1	A17654	
304L	13.62	5.62	21.75	1	E11520	
304L	14.12	9.37	11.5	1	K13485	
304L	14.50	8.12	38.75	1	K13434	
304L	14.50	9.62	27.62	1	A20319	
304L	14.50	10.25	77	1	K14209	
304L	14.50	11.00	12.5	1	A21588	
304L	14.62	9.37	77.37	1	J12000	
304L	14.62	9.75	10.75	1	E11028	
304L	15.37	8.37	19.62	1	K13701	
304L	17.00	15.25	27.87	1	D27607	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
304L	17.12	12.50	76.87	1	K14152	
304L	17.12	12.50	77	1	J12222	
304L	17.12	13.50	77	1	K14208	
304L	19.00	15.00	11.12	1	K13505	
304L	20.00	16.25	13	1	J11126	
304L	20.62	17.50	21	1	J11646	
304L	21.00	18.37	10	1	A22008	
304L	21.00	18.37	7.37	1	A22008	
304L	21.62	11.50	76.87	1	J12346	
304L	21.62	11.50	30.12	1	K13946	
304L	22.75	20.00	13.75	1	LA592	
304L	24.37	19.75	40	1	K12902	
304L	24.50	19.75	50.75	1	K12882	
310	5.75	2.12	11.5	1	D26945	
310	6.37	2.50	15.37	1	C12367	
310	12.25	9.87	26	1	D28262	
310	12.37	10.00	26	1	D28263	
310	13.00	7.37	37.12	1	E10828	
316	4.50	2.87	77.62	1	C13035	
316	5.25	1.62	15.62	1	B32214	
316	5.75	3.37	19.87	1	D28750	
316	6.12	3.37	22.25	1	B34107	
316	6.25	3.25	23.37	1	A25052	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316	6.25	4.00	28.62	1	A23282	14 HRC
316	6.25	4.00	28.62	3	A23308	14-16 HRC
316	6.62	3.75	28.75	1	B33455	
316	7.00	3.87	20.69	1	A24216	8 RC
316	7.00	4.12	9.25	1	B30599	
316	8.00	5.75	52.75	1	E11604	
316	8.50	5.12	28	1	A25053	
316	9.00	3.25	8.5	1	K10537	
316	9.00	6.12	27.25	1	A24498	12 HRC
316	9.00	6.12	27.12	1	A24498	12 HRC
316	9.00	6.12	27.12	1	A24512	16 HRC
316	10.25	7.37	14.5	1	B34107	196-207 BHN
316	10.25	8.00	42.37	1	D31411	
316	10.37	6.87	27.25	1	A24513	16 HRC
316	10.37	6.87	27.12	1	A24513	16 HRC
316	10.37	6.87	10.25	1	D26732	
316	12.50	9.12	26.75	1	A25052	
316	13.75	9.75	53	1	J12059	16 RC
316	15.00	10.62	67	1	K14227	
316	15.00	12.25	36.87	1	K13323	
316	15.75	12.25	34.75	1	A25583	
316	15.75	12.62	11.37	1	A16271-1	
316	15.75	12.62	9.87	1	A16271-2	
316	15.87	10.37	20.5	1	K12588	
316	17.12	14.50	6.12	1	A21981	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316	18.00	12.12	29	1	K14243	
316	20.62	14.50	22.62	1	K13136	14 RC <i>Rough Machined</i>
316	20.62	17.50	41.75	1	E11370	
316	22.00	17.00	20.62	1	J11852	
316	22.87	16.75	22.12	1	K14110	
316	23.00	18.37	11.75	1	A24794	14 RC
316L	3.50	1.25	57.75	1	B33700	
316L	3.50	1.37	77	1	C13210	
316L	3.62	1.37	72.5	1	C13033	
316L	3.62	1.50	27.37	1	B32443	16 HRC
316L	3.62	1.50	32.12	1	B33485	
316L	3.75	1.37	77	1	B33918	
316L	3.87	1.37	41	1	B33829	
316L	4.00	1.37	37.37	1	C12522	
316L	4.00	1.50	75.25	1	C12854	
316L	4.00	1.75	21.25	1	C12950	
316L	4.00	1.75	63.37	1	C13196	
316L	4.12	2.50	51.12	1	B33486	
316L	4.50	1.87	63.37	1	B33622	
316L	4.50	2.87	69.87	1	C13211	
316L	4.62	1.00	41.25	1	B33486	
316L	4.62	1.37	43.5	1	D29990	
316L	4.62	1.50	13.87	1	D27656	
316L	4.62	1.50	75.37	1	B28900	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	4.62	1.50	20.5	1	B28901	
316L	4.62	2.25	56.75	1	B33699	
316L	4.62	2.37	54.62	1	C13047	
316L	4.62	2.37	77	1	D31356	
316L	4.62	3.25	13.12	1	C12083	
316L	4.75	2.62	31.87	1	C12884	
316L	4.87	2.62	24.75	1	A22555	
316L	5.00	1.87	14.87	1	B33506	
316L	5.00	1.87	37.12	1	A24993	
316L	5.00	2.00	63.37	1	B34015	
316L	5.00	2.87	52.12	1	D31656	
316L	5.00	3.00	7.75	1	D31356	
316L	5.00	3.50	36.12	1	A24994	
316L	5.50	1.37	70.87	1	B33831	
316L	5.50	1.50	63.75	1	D27656	
316L	5.50	1.75	61	1	E11493	
316L	5.50	1.87	38.5	1	A22278	
316L	5.50	2.00	78	1	B33703	
316L	5.50	2.00	56.12	1	D29976	
316L	5.50	2.37	53.5	1	B33701	
316L	5.50	2.37	29.5	1	A25115	
316L	5.50	3.12	78	1	D31541	
316L	5.50	3.50	15	1	B33494	
316L	5.50	3.50	78	1	A25488	
316L	5.50	3.87	78	1	D31357	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	5.50	3.87	34.25	1	C12770	
316L	5.75	3.87	5	1	A24179	16 HRC
316L	5.87	3.62	47	1	D31330	187 BHN
316L	6.00	1.50	77.87	1	E11494	
316L	6.00	1.62	66.25	1	B30418	
316L	6.00	2.00	43.5	1	B30300	
316L	6.00	2.00	75.25	1	B33679	
316L	6.00	2.87	78	1	D31584	
316L	6.00	3.00	78.25	1	B33830	
316L	6.00	3.62	18.37	1	B32276	
316L	6.00	3.75	78	1	A25489	
316L	6.00	3.87	30	1	D31099	
316L	6.00	4.00	78	1	D31358	
316L	6.00	4.00	9.37	1	D31357	
316L	6.12	1.87	18.5	1	B30792	
316L	6.12	3.12	21.5	1	B31846	12 RC
316L	6.25	4.37	22.75	1	D31359	
316L	6.37	2.12	76.75	1	E11479	
316L	6.50	1.50	55.5	1	A21620	
316L	6.50	2.25	35.25	1	E11413	
316L	6.50	3.25	17.62	1	D29686	
316L	6.62	3.50	101	1	A25147	
316L	6.75	2.62	80	1	A25148	
316L	6.75	3.37	81.87	1	A25491	
316L	6.75	3.50	69	1	A25245	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	6.75	34.37	99.37	1	D31186	
316L	6.75	34.37	15.37	1	A25244	
316L	6.75	34.37	26.75	1	B33555	
316L	6.75	34.37	99	1	A25490	
316L	6.87	2.37	76	1	A25490	
316L	7.00	1.87	39.62	1	E11423	
316L	7.00	2.62	20	1	A20820	
316L	7.00	2.62	11.75	1	A23862	
316L	7.00	2.62	16.37	1	A23675	
316L	7.00	2.62	33.75	1	A24344	
316L	7.00	2.62	19.12	1	A22666	
316L	7.00	2.62	6.75	1	A25266	
316L	7.00	3.00	16.12	1	A23863	
316L	7.00	3.50	65.25	1	A23064	
316L	7.00	3.50	77	1	D31541	
316L	7.00	3.62	77.62	1	A24336	
316L	7.00	3.75	77.75	1	E11508	
316L	7.00	3.75	24.8	1	A25175	
316L	7.00	3.75	77.87	1	A25270	
316L	7.00	3.75	40.37	1	A25100	
316L	7.00	3.75	37.75	1	B30667	
316L	7.00	3.75	77.87	1	A25271	
316L	7.00	4.00	8.87	1	E11472	
316L	7.00	4.75	77.62	1	B33708	
316L	7.00	4.75	78	1	A25489	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	7.00	4.75	32.87	1	B33707	
316L	7.12	2.62	6	1	B30836	
316L	7.50	2.37	77	1	D31097	
316L	7.50	2.62	54	1	A25091	
316L	7.50	4.50	54.62	1	D31229	
316L	7.50	4.87	67.37	1	B33762	
316L	7.75	2.25	10.26	1	A23988	
316L	8.00	2.37	76.87	1	A25252	
316L	8.00	3.75	19.37	1	E11474	
316L	8.00	3.87	49.87	1	A25271	
316L	8.00	3.87	23.25	1	A24995	
316L	8.00	4.00	75.12	1	A25117	
316L	8.00	4.87	16.5	1	A25270	
316L	8.00	4.87	15.25	1	A23862	
316L	8.00	4.87	101.37	1	D31016	
316L	8.00	4.87	26.25	1	E11473	
316L	8.00	4.87	45.75	1	A23618	
316L	8.00	5.75	7	1	A24105	
316L	8.50	4.25	32	1	A24845	
316L	8.50	4.25	10	1	A23618	
316L	8.50	4.25	25	1	A21342	
316L	8.50	4.25	36.25	1	A21929	
316L	8.50	5.00	26.12	1	D31079	
316L	8.50	5.25	77.5	1	A25266	
316L	8.50	5.25	75.75	1	J12008	14 HRC

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	8.50	5.50	37.75	1	A24767	
316L	8.50	6.12	16.25	1	A24688	
316L	8.50	6.25	54.12	1	D31098	
316L	8.50	6.37	22	1	A25091	
316L	8.62	5.25	29.25	1	A24337	
316L	8.62	5.37	77.75	1	K14132	
316L	9.00	2.50	58.87	1	A25559	
316L	9.00	3.75	48.25	1	A23696	16 HRC
316L	9.00	4.87	77.25	1	D31101	
316L	9.00	4.87	29.25	1	A25540	
316L	9.00	5.75	35	1	A23037	
316L	9.00	5.87	68.12	1	A25092	
316L	9.00	5.87	59.25	1	A24769	
316L	9.00	6.87	20.25	1	A25117	
316L	9.00	6.87	49.25	1	A25263	
316L	9.12	2.75	16.87	1	A23511	
316L	9.12	3.00	72.25	1	A25255	
316L	9.12	4.00	8	1	J11917	14 HRC
316L	9.12	4.62	14	1	J12043	
316L	9.12	4.87	46.62	1	D31223	
316L	9.12	5.87	77.25	1	D31100	
316L	9.12	6.50	19.37	1	C13223	6-8 RC
316L	9.37	7.87	21	1	A23962	<i>Rough Machined</i>
316L	9.50	6.87	35	1	A25175	
316L	9.50	6.87	16	1	A25094	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	9.50	6.87	8.5	1	E11479	
316L	9.50	7.50	42.87	1	A24345	
316L	9.62	7.62	63.62	1	A24994	
316L	9.75	6.37	20.87	1	D31096	
316L	9.75	6.37	47.87	1	A24993	
316L	9.75	6.50	41.5	1	A24908	
316L	9.87	6.62	17.25	1	D27194	
316L	10.25	3.75	21.87	1	K14132	
316L	10.25	4.25	76	1	K14233	
316L	10.25	5.62	17.87	1	A23666	
316L	10.25	5.62	77	1	J12139	
316L	10.25	5.75	42.25	1	K14062	
316L	10.25	5.87	6.75	1	E11423	
316L	10.25	6.00	10.87	1	A23066	
316L	10.25	6.00	8.75	1	K13818	
316L	10.25	6.12	15.37	1	A25309	
316L	10.25	7.25	7.87	1	A25053	
316L	10.25	7.87	30.51	1	D30839	
316L	10.37	5.75	77	1	A25253	
316L	10.37	5.87	76.87	1	J12312	
316L	10.37	7.25	76.75	1	E11603	
316L	10.50	7.87	69.62	1	J12312	
316L	10.50	8.00	73.75	1	A25094	
316L	11.12	6.37	75	1	A25500	
316L	11.12	6.75	77.87	1	A25093	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	11.12	6.87	75.62	1	A25254	
316L	11.12	6.87	64.25	1	J12314	
316L	11.12	7.87	24.25	1	A25263	
316L	11.12	7.87	75	1	K14232	
316L	11.25	6.25	28	1	B34076	
316L	11.50	7.75	77	1	A25383	
316L	11.50	8.75	75	1	A25499	
316L	11.50	8.87	46.62	1	A25115	
316L	11.87	6.37	77	1	A25386	
316L	12.12	10.62	32.62	1	D28457	
316L	12.25	8.75	77	1	J12042	
316L	12.25	8.75	73.5	1	K13819	
316L	12.25	9.00	12	1	J12234	
316L	12.25	9.00	20.12	1	A22949	
316L	12.25	9.62	78	1	K14232	
316L	12.25	9.75	62.25	1	A23037	
316L	12.25	9.75	28.87	1	A23064	
316L	12.25	9.87	23.62	1	A23645	
316L	12.50	8.37	48.37	1	A23964	
316L	12.50	9.25	76	1	K14233	
316L	12.62	8.37	43.5	1	A24217	
316L	12.62	8.50	52.25	1	A22901	
316L	12.75	7.00	63.75	1	A25385	
316L	12.75	11.00	30.75	1	A23230	
316L	13.12	8.12	61.37	1	A25384	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	13.12	9.75	71.38	1	J12314	
316L	13.12	9.75	77.25	1	A25089	
316L	13.12	9.75	31.75	1	A23510	
316L	13.12	9.87	29.25	1	A23961	
316L	13.75	11.25	44	1	A24855	
316L	13.75	11.50	54.75	1	J12029	
316L	14.37	7.87	14.37	1	D28087	
316L	14.37	11.87	44.5	1	E11627	
316L	14.62	6.87	77	1	J12420	
316L	14.62	11.00	66.12	1	A25087	
316L	14.62	12.37	14.87	1	A22249	
316L	14.75	9.00	21.75	1	A24607	12-14 HRC
316L	14.75	9.62	80.75	1	J12313	
316L	14.75	9.62	32.87	1	J12049	
316L	14.75	11.25	9.87	1	E10750	
316L	14.87	11.50	11.62	1	D29190	
316L	15.00	11.00	68.75	1	J12160	14 HRC
316L	15.25	10.87	77	1	A25387	
316L	15.25	12.00	77.5	1	A25088	
316L	15.50	13.50	10.87	1	D7419	
316L	15.75	13.37	13	1	A20950	
316L	15.75	13.50	16.12	1	A19187	
316L	15.87	10.37	77	1	J12419	
316L	16.00	12.75	67.75	1	A21977	
316L	16.00	13.00	19	1	A20888	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
316L	16.12	13.00	77.75	1	J12244	
316L	16.50	13.87	19.75	1	B30682	
316L	17.00	12.87	12.87	1	J10173	
316L	17.00	13.75	74.75	1	A25090	
316L	17.00	14.00	17	1	A24557	
316L	17.12	13.75	34.87	1	J11582	
316L	17.50	13.25	27.62	1	K13931	
316L	17.50	13.37	27.25	1	K13921	
316L	18.00	12.50	21.37	1	J11583	
316L	18.62	14.25	15	1	J11984	192 BHN
316L	18.87	10.50	19.5	1	K13711	163 BHN
316L	19.00	16.62	60.12	1	A25076	
316L	19.50	12.50	78	1	J12416	
316L	19.87	16.25	21.5	1	A25309	
316L	20.50	17.75	18	1	A25075	
316L	21.62	12.75	14	1	K13307	10 RC
316L	23.50	18.75	19.25	1	K13817	207-228 BHN
316L	24.50	22.12	17.37	1	J10902	
317	5.25	2.50	27.25	1	B32783	18 HRC
317	7.50	5.00	11.62	1	D23956	
317	13.37	9.12	24.25	1	E8410	
317	13.75	11.37	19.25	1	K13561	
317L	4.50	1.37	77	1	B33915	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
317L	4.50	1.62	44.12	1	C12656	
317L	4.50	2.00	36.62	1	C13048	
317L	5.00	2.00	67.5	1	B33484	
317L	5.50	3.00	18	1	A25417	
317L	6.00	2.00	57.87	1	A25019	
317L	6.00	3.87	73.25	1	A25021	
317L	7.00	4.00	8.87	1	B32075	
317L	7.12	3.00	101.12	1	A25021	
317L	7.50	4.00	69.37	1	A24111	
317L	7.50	4.37	49.75	1	A23989	
317L	7.50	4.37	20.37	1	A22049	
317L	8.50	3.87	49.87	1	A24183	
317L	9.25	4.12	63.25	1	A24354	
317L	10.50	5.75	77.5	1	A25415	
317L	10.50	6.87	77.37	1	A25019	
317L	10.62	6.87	52.5	1	A24183	
317L	10.62	8.00	70.75	1	D30678	
317L	11.50	5.87	74	1	A24247	
317L	11.50	7.37	76.87	1	A25416	
317L	12.25	7.87	77.75	1	A25417	
317L	12.62	8.75	77	1	A24249	
317L	12.62	8.75	72.5	1	A23994	
317L	12.62	8.87	69	1	J12243	
317L	13.12	10.00	45.37	1	J9715	
317L	13.37	11.25	12.37	1	B29303	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



300 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
317L	14.50	9.75	77.75	1	E11495	
347	3.75	1.75	41.25	1	B28518	
347	4.62	1.62	7.25	1	C11712	
347	7.00	3.00	25.88	1	D29230	187-196 BHN
347	7.00	3.37	13	2	D28033	14 RC
347	12.62	9.62	12.37	1	D22461	
347	13.62	7.62	12.12	1	D21387	
AL20	4.25	2.50	17.5	1	B22763-1	
AL20	4.25	2.50	32	1	B22763-2	
AL20	4.25	2.50	18	1	B22764-2	
AL20	5.50	3.75	21.62	1	B31471	
AL20	7.00	4.87	23.5	1	B30793	
AL20	13.25	4.50	9.25	1	A23288	
AL20	14.12	9.25	20.25	1	A19895	
AL20	14.12	9.37	10	1	A19894	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	3.62	1.25	53.25	1	B33788	207-217 BHN
410	3.62	1.50	78	1	B33968	228 BHN
410	3.75	1.12	77.5	1	B33789	207-217 BHN
410	3.75	1.25	78	1	B33967	228 BHN
410	3.75	1.37	78.5	1	C13110	241 BHN
410	3.75	1.50	70.87	1	B31128	196 BHN
410	4.00	1.50	78.25	1	B31130	196 BHN
410	4.00	1.50	30.75	1	B30251	207 BHN
410	4.00	2.50	5.62	1	B33556	192-212 BHN
410	4.12	1.75	14.12	1	B33790	207-217 BHN
410	4.12	2.62	24.5	1	B33347	217 BHN
410	4.25	2.12	26	1	B33967	228 BHN
410	4.25	2.12	26.25	1	C13225	4 1/4 X 2 1/8
410	4.25	2.12	41.12	1	D29351	228-241 BHN
410	4.25	2.25	14.62	1	C13027	217 BHN
410	4.25	2.37	77.5	1	B33790	207-217 BHN
410	4.50	1.37	77.25	1	B33634	207-217 BHN
410	4.50	1.50	77.5	1	B33788	207-217 BHN
410	4.50	1.87	44.5	1	B32188	288 BHN
410	4.50	2.00	78.37	1	D29755	228-241 BHN
410	4.50	2.00	26.5	1	D28627	207-217 BHN
410	4.50	2.37	78.37	1	B33347	217 BHN
410	4.50	2.87	65	1	C12530	228 BHN
410	4.50	3.00	47.5	1	A24606	207 BHN
410	4.75	3.25	17.13	1	B31637	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	5.00	1.75	78.25	1	B30165	207 BHN
410	5.00	1.75	78	1	B30163	207 BHN
410	5.00	1.87	50	1	D26882	207-217 BHN
410	5.00	1.87	62.62	1	B31127	196 BHN
410	5.00	1.87	78.5	1	B31128	196 BHN
410	5.00	2.50	30.25	1	A23644	196-207 BHN
410	5.00	2.75	58	1	D30348	207 BHN
410	5.00	2.87	51.25	1	A23644	196-207 BHN MODIFIED
410	5.00	2.87	12	1	D29351	228-241 BHN
410	5.00	3.00	78.37	1	B33789	207-217 BHN
410	5.50	1.50	41	1	A21000	207 BHN
410	5.50	1.87	77.37	1	D30004	217 BHN
410	5.50	2.00	14.25	1	E11441	207 BHN
410	5.50	2.37	3.87	1	D30889	212 BHN
410	5.50	2.37	7.12	1	D28918	207 BHN
410	5.50	2.75	7.12	1	D30003	217 BHN
410	5.50	3.25	67.75	1	B33810	196 BHN
410	5.50	3.25	22.12	1	B33623	207-217 BHN
410	5.75	1.87	78.12	1	D30508	228-241 BHN
410	5.75	1.87	36.87	1	D30508	228-241 BHN
410	6.00	1.87	74.75	1	B33387	217 BHN
410	6.00	2.00	77.87	1	B33791	207-217 BHN
410	6.00	2.50	65.25	1	D28048	207 BHN
410	6.00	2.75	79.62	1	B33892	187-196 BHN
410	6.00	2.75	62.25	1	A24579	196-207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	6.00	2.87	78.37	1	A25195	207 BHN
410	6.00	3.75	66.62	1	D29165	207 BHN MODIFIED
410	6.00	3.87	12.5	1	A24358	207 BHN
410	6.00	3.87	50	1	A23095-1	217 BHN
410	6.00	3.87	78.5	1	B33891	196-207 BHN
410	6.00	3.87	78	1	D31566	207-217 BHN
410	6.12	2.25	78.5	1	A23048	207 BHN
410	6.12	3.25	28.87	1	A22472	187-196 BHN
410	6.12	4.00	13.87	1	D29140	228 BHN ADT
410	6.37	3.87	49.75	1	B33633	207-217 BHN
410	6.50	3.37	22.75	1	B31899	179-187 BHN
410	6.50	3.37	23.5	1	A23226	217 BHN
410	6.50	3.50	64.87	1	A23113	207-217 BHN
410	6.50	3.87	61.5	1	D31316	217 BHN
410	6.50	3.87	28.87	1	A23864	207 BHN
410	6.50	3.87	78	1	B34002	207 BHN
410	6.75	3.25	19.25	1	D28276	217 BHN ADT
410	7.00	2.00	54.75	1	D31317	217 BHN
410	7.00	2.50	50.37	1	E11276	196 BHN
410	7.00	2.50	77	1	D31573	196 BHN
410	7.00	2.75	62.87	1	A23730	196-207 BHN
410	7.00	2.87	40.25	1	A23600	228 BHN
410	7.00	3.75	24.12	1	B33278	207 BHN
410	7.00	4.00	37.37	1	D24978	235 BHN ADT
410	7.00	5.37	25.25	1	D31459	212 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	7.12	2.25	10.75	1	E10861	207-217 BHN
410	7.12	2.75	14.5	1	D28367	217-228 BHN
410	7.12	2.87	70	1	D28623	217 BHN
410	7.12	3.25	65.25	1	A23048	207 BHN
410	7.12	3.62	7.5	1	A23807	235 BHN ADT
410	7.12	4.75	40.5	1	D26863	196-207 BHN
410	7.12	4.75	78.37	1	A21861	196 BHN
410	7.12	4.75	18.37	1	D26864	196-207 BHN
410	7.25	3.37	29.5	1	D31052	207 BHN
410	7.25	3.50	23	1	D31022	196-209 BHN
410	7.50	1.87	69.5	1	D31525	207 BHN
410	7.50	2.50	26	1	E11088	207 BHN
410	7.50	2.50	15.12	1	A20856	207 BHN
410	7.50	2.75	72.62	1	A24358	207 BHN
410	7.50	3.50	78	1	D31574	196-207 BHN
410	7.50	4.00	78.25	1	A23049	387 BHN NT
410	7.50	4.00	78.25	1	D26137	228 BHN ADT
410	7.50	4.00	27	1	E10859	207 BHN NT
410	7.50	4.12	78.5	1	B32953	217-228 BHN
410	7.50	4.25	54.5	1	B33645	202 BHN
410	7.50	4.25	11.5	1	B30201	217 BHN
410	7.50	4.50	30.5	1	A23047	207 BHN
410	7.50	4.50	15.87	1	A21949	196-207 BHN
410	7.50	4.75	78.37	1	A25347	207-217 BHN
410	7.50	4.87	26.62	1	D31418	196-207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	7.50	5.12	37	1	A24802	207-217 BHN
410	7.50	5.37	23.25	1	A25195	207 BHN
410	7.50	5.37	12.12	1	E11445	187 BHN
410	7.62	3.12	102.12	1	A25213	207 BHN
410	7.62	3.37	77.75	1	A23041	217 BHN
410	7.75	2.00	55.37	1	A21843	179 BHN
410	7.75	2.25	50	1	A21147	207 BHN
410	7.75	4.00	78.12	1	A23048	207 BHN
410	7.87	4.62	48.25	1	D26377	196 BHN
410	8.00	2.50	57.5	1	D26006	217 BHN
410	8.00	2.50	77.5	1	A22359	217 BHN
410	8.00	3.87	69.62	1	E11261	217 BHN
410	8.00	3.87	12.75	1	A23865	207 BHN
410	8.00	4.75	78.37	1	A25399	187-196 BHN
410	8.00	4.87	77.75	1	J12354	207 BHN
410	8.00	5.00	10.5	1	B30919	196-207 BHN
410	8.00	5.37	78	1	A25507	187-196 BHN
410	8.00	5.75	21	1	A23729	196-207 BHN
410	8.00	5.87	68.5	1	A25195	207 BHN
410	8.50	2.25	55.75	1	D27033	196 BHN
410	8.50	2.62	33.75	1	D28577	207-217 BHN ADT
410	8.50	2.62	24.12	1	D27644	207-217 BHN
410	8.50	2.75	11.62	1	A25349	217-228 BHN ADT
410	8.50	2.75	56.37	1	A24554	196-207 BHN
410	8.50	3.87	102.37	1	A25192	196-207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	8.50	3.87	102.25	1	A25193	196-207 BHN
410	8.50	4.00	102.12	1	K14126	196-217 DHN
410	8.50	4.25	102.25	1	A25194	196-207 BHN
410	8.50	4.25	7.25	1	K14070	196 BHN
410	8.50	4.50	18.75	1	J11299	207 BHN
410	8.50	4.50	11.75	1	A22726	207-217 BHN
410	8.50	5.12	78	1	A24717	207 BHN
410	8.50	5.25	37.5	1	E11089	207 BHN
410	8.50	5.37	11.5	1	A23793	212 BHN
410	8.50	5.37	17.25	1	E11122	217 BHN
410	8.62	2.75	72	1	J12050	207-217 BHN
410	8.62	5.25	78.12	1	A23608	217 BHN
410	8.62	5.37	24.5	1	D28624	217 BHN
410	9.00	3.00	42.75	1	E11260	E11260
410	9.00	3.00	10.62	1	E10990	187 BHN
410	9.00	4.62	74.37	1	D28098	207-217 BHN
410	9.00	5.62	72.87	1	J12146	196-207 BHN
410	9.00	5.75	78.37	1	A21950	196-207 BHN
410	9.00	5.87	41.5	1	A23816	212 BHN
410	9.12	5.75	72.62	1	A23016	217 BHN
410	9.12	5.75	77.5	1	A24579	196 BHN
410	9.12	5.75	78	1	A23018	217 BHN
410	9.25	4.00	22.12	1	D27081	196 BHN
410	9.37	3.75	17	1	E11146	207-217-217 BHN
410	9.37	5.25	54.62	1	A20865	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	9.50	3.50	78.62	1	A20867	196 BHN
410	9.50	3.50	24	1	A20871-2	207 BHN
410	9.50	3.50	11.37	1	A20871-1	207 BHN
410	9.50	4.25	78.37	1	J11301	207 BHN
410	9.50	4.37	60.5	1	J11300	207 BHN
410	9.50	5.00	71	1	J11299	207 BHN
410	9.50	5.25	77.87	1	A22137	196 BHN
410	9.50	5.50	47.62	1	A22138	196 BHN
410	9.50	6.00	77.75	1	E11265	207 BHN
410	9.50	6.25	101.87	1	A24606	207 BHN
410	9.50	6.25	62.75	1	J12147	196-207 BHN
410	9.50	7.37	80.87	1	A24192	217 BHN
410	9.75	3.25	35.25	1	A21378	207 BHN
410	9.87	5.87	16.12	1	A23098	217-228 BHN ADT
410	10.00	4.25	78	1	A25532	196-207 BHN
410	10.00	6.87	78.25	1	D31430	179-187 BHN
410	10.00	7.75	78.37	1	J12356	207-217 BHN
410	10.00	7.75	10.12	1	B30761	207-217 BHN
410	10.00	7.87	77.37	1	D26885	207-217 BHN
410	10.00	7.87	17.75	1	D26886	207-217 BHN
410	10.25	4.37	53.5	1	A22322	207 BHN
410	10.25	5.25	6.5	1	A11528	228 BHN
410	10.25	5.75	13.12	1	A11530	228 BHN
410	10.37	4.25	77.12	1	J12354	207-217 BHN
410	10.37	4.62	77.5	1	E11615	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	10.37	4.75	62.25	1	A25501	196-207 BHN
410	10.37	4.75	59.5	1	A21951	196-207 BHN
410	10.37	6.75	44	1	D28925	196 BHN
410	10.62	5.75	78	1	A25502	196-207 BHN
410	10.62	5.75	51.37	1	J11980	207 BHN
410	10.62	5.87	78	1	A25341	196-217 BHN
410	10.62	5.87	47	1	A23974	196-228 BHN
410	10.62	5.87	76.75	1	A24145	217 BHN
410	10.62	6.00	15.75	1	A21581	217 BHN
410	11.00	5.50	27.62	1	A21990	207 BHN
410	11.12	4.87	7.5	1	A19373	217 BHN
410	11.12	5.00	10.12	1	E9814	217 BHN
410	11.12	5.00	8.12	1	E9935	196-207 BHN
410	11.12	5.00	10	1	K10268	207 BHN
410	11.12	5.62	76	1	A25533	196-207 BHN
410	11.12	8.87	65.62	1	A25399	187-196 BHN
410	11.12	9.37	76.25	1	J12355	207-217 BHN
410	11.12	9.37	75	1	A23865	207 BHN
410	11.12	9.62	75.25	1	J11872	196 BHN
410	11.25	6.00	19	1	A11692	207 BHN
410	11.25	7.87	24.5	1	A21607	228 BHN NDT
410	11.25	8.75	11.87	1	A23600	228 BHN
410	11.37	8.50	14.62	3	D25190	187 BHN NDT
410	11.37	8.50	14.63	1	A24221	207 BHN NDT
410	11.50	4.00	11.37	1	E10906	217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	11.50	4.00	40.12	1	E11155	207 BHN
410	11.50	5.00	49.62	1	K13413	196-207 BHN
410	11.50	5.50	41.75	1	A23040	217 BHN
410	11.50	6.00	68.37	1	K13412	196-207 BHN
410	11.50	6.50	44.5	1	A23039	217 BHN
410	11.50	7.12	78.37	1	K13874	217-228 BHN
410	11.50	7.25	20	1	K13806	207 BHN
410	11.50	7.25	77	1	A24552	196-207 BHN
410	11.50	8.37	14	1	A24192	217 BHN
410	11.50	8.75	12.12	1	J12144	196-207 BHN
410	11.50	8.75	13	1	K13872	217-228 BHN
410	11.50	8.87	78.5	1	K14133	207-217 BHN
410	11.50	8.87	12.5	1	A23643	196 BHN
410	11.50	8.87	10.5	1	D28924	217 BHN
410	11.50	8.87	78.25	1	K14085	217 BHN
410	11.50	9.00	11	1	J11871	196 BHN
410	11.50	9.00	12	1	A23274	207 BHN
410	11.50	9.25	78.37	1	A25161	196-207 BHN
410	11.50	9.50	14.25	1	A22578	207 BHN
410	11.87	7.00	18.37	1	A25004	207 BHN
410	11.87	9.00	72.87	1	J12146	196-207 BHN
410	11.87	9.00	77.12	1	A25011	196-207 BHN
410	11.87	9.25	22.75	1	D26867	196-217 BHN
410	11.87	10.50	67.87	1	A15345	217 BHN
410	11.87	10.50	95.75	1	A15346	217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	12.12	5.00	11.75	1	A19224	196-217 BHN
410	12.12	7.87	41.62	1	E11614	196 BHN
410	12.12	9.50	11	1	E10473	207 BHN
410	12.12	9.50	26	1	A20163	217-228 BHN
410	12.12	9.50	73.75	1	A20164	196 BHN
410	12.12	9.50	21	1	E10718	196 BHN
410	12.12	9.75	24.37	1	D21602	207 BHN
410	12.12	10.50	10.75	1	A15343	228 BHN
410	12.12	10.50	33	1	B25030	196 BHN
410	12.12	10.50	73.75	1	B25035	196 BHN
410	12.12	10.50	92	1	D19015	228 BHN
410	12.25	9.37	48.62	1	A19496	269 BHN
410	12.25	9.37	10.62	1	E10563	269 BHN
410	12.50	7.12	36.5	1	K13710	217 BHN
410	12.62	4.50	30.37	1	K13778	187-196 BHN
410	12.62	5.00	41.75	1	K14213	207 BHN
410	12.62	5.75	9.62	1	E11240	241 BHN
410	12.62	5.87	53.87	1	K14222	187 BHN
410	12.62	6.00	6.75	1	K12220	187-196 BHN
410	12.62	6.50	27.87	1	E9969	217 BHN
410	12.62	6.62	67.75	1	A25393	196-207 BHN
410	12.62	7.00	22.5	1	A23414	207-217 BHN
410	12.62	7.75	77.5	1	A25392	196-207 BHN
410	12.62	7.75	75.87	1	K13806	207 BHN
410	12.62	7.87	27.37	1	K13604	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	12.62	8.00	14.37	1	A23038	217 BHN
410	12.62	8.25	54.12	1	A23995	217 BHN
410	12.62	8.87	77.37	1	A25391	196 BHN
410	12.62	9.12	6.5	1	A21955	196 BHN
410	12.62	9.25	34.62	1	J12144	196-207 BHN
410	12.62	9.75	63	1	J12145	207 BHN
410	12.62	10.12	77.25	1	D30805	217 BHN
410	12.62	10.12	62.87	1	A25012	196-207 BHN
410	12.62	10.50	11.12	1	D21342	207 BHN
410	12.75	9.87	77.25	1	E11607	207-217 BHN
410	12.75	10.25	11.87	1	D24650	217 BHN
410	12.75	10.50	9	1	A14557	217 BHN
410	13.00	6.37	31.87	1	J11394	207 BHN
410	13.12	6.12	69.62	1	K13600	207 BHN
410	13.12	7.50	56	1	A21959	196 BHN
410	13.12	8.00	19.12	1	E11188	196-217 BHN
410	13.12	9.75	17	1	A21958	207 BHN
410	13.12	11.50	43.25	1	D20068	217 BHN
410	13.12	11.50	36.87	1	E10210	207 BHN
410	13.25	6.87	76.75	1	J11979	207 BHN
410	13.25	9.75	13.25	1	A24997	207 BHN
410	13.25	9.87	16.87	1	J12050	207-217 BHN
410	13.50	5.62	8.75	1	K13407	187 BHN
410	13.50	5.87	66.25	1	J11795	217 BHN
410	13.50	9.87	101.75	1	A25209	217-228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	13.50	9.87	101.5	1	A25157	207-228
410	13.87	5.75	78.5	1	J12382	196-207 BHN
410	14.00	11.50	87.75	1	K14085	207 BHN
410	14.12	10.00	13.25	1	K13873	217-228 BHN
410	14.25	10.87	8.75	1	K13872	217-228 BHN <i>Rough Bored</i>
410	14.62	6.87	78	1	K14199	196 BHN
410	14.62	7.75	78	1	K14212	207 BHN
410	14.62	9.75	71.5	1	J12356	207-217 BHN
410	14.62	9.75	78	1	A25224	217-228 BHN
410	14.62	9.87	78.12	1	E11595	207-217 BHN
410	14.62	10.75	11.87	1	E11441	207 BHN
410	14.62	10.87	22.5	1	A24999	207 BHN
410	14.75	11.25	23.12	1	A25471	217 BHN ADT
410	15.12	11.75	17.25	1	A23060	217 BHN
410	15.25	7.62	68.5	1	K14218	207-217 BHN
410	15.25	9.50	55.75	1	K13870	217-228 BHN
410	15.25	9.75	13.87	1	J11797.	217 BHN
410	15.25	9.87	78	1	K14154	217-228 BHN
410	15.25	9.87	77	1	K14198	196 BHN
410	15.25	12.00	77	1	K14234	196 BHN
410	15.25	12.00	48	1	A24553	196-207
410	15.25	12.87	17.37	1	A23112	207-217 BHN
410	16.00	10.75	19.12	1	J11796	217 BHN
410	16.00	12.12	13.75	1	A22571	217 BHN
410	16.12	8.87	78	1	K14214	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	16.12	10.87	78.37	1	K14155	217-228 BHN
410	16.12	13.00	78.12	1	K14133	207-217 BHN
410	16.12	13.00	78.12	1	A24998	207 BHN
410	17.00	9.37	38.75	1	K13811	228-235 ADT BHN
410	17.00	12.00	23.5	1	J11767	196-207 BHN ADT
410	17.25	11.25	51.87	1	K13734	207-217 BHN
410	17.25	11.37	77.75	1	K13869	217-228 BHN
410	17.25	11.75	68	1	K14134	207-217 BHN
410	17.25	11.75	15.12	1	K13779	187-196 BHN
410	17.25	11.75	28.87	1	J12009	207-217 BHN
410	17.25	11.87	14.87	1	K13922	196-207 BHN
410	17.25	11.87	72.75	1	K14066	207 BHN
410	18.12	11.00	16.5	1	J11432	217 BHN
410	18.25	13.00	68	1	J12374	207-196 BHN
410	18.75	16.12	31.12	1	A25054	24 RC
410	19.12	10.62	8	1	K13032	187-207 BHN
410	19.25	12.00	76	1	J12379	187 BHN
410	19.25	13.25	68.25	1	J11715	228 BHN
410	19.25	13.50	29.62	1	K13866	196 BHN
410	20.12	13.00	78.75	1	J12378	196 BHN
410	20.12	15.00	69.37	1	K14172	196 BHN
410	20.12	17.00	66.37	1	K14153	217 BHN
410	20.50	16.62	61	1	J11798	217 BHN
410	20.75	14.62	35.75	1	J11790	207 BHN
410	20.75	14.87	17.25	1	K13602	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
410	21.75	16.00	14	1	J11928	196-207 BHN
410	22.62	18.50	76	1	J12390	217-241 BHN
410	23.00	16.00	58.12	1	J12345	207-217 BHN
410	23.00	16.00	19.87	1	K13061	217-228 BHN ADT
410	23.12	16.12	17.37	1	J11857	217-228 BHN
416	3.50	1.25	62.25	1	B33969	228 BHN
416	3.62	1.25	14.5	1	B33635	207-217 BHN
416	4.00	1.12	37.37	1	B33635	207-217 BHN
416	4.00	1.25	75	1	B33970	228 BHN
416	4.12	2.12	78	1	B33970	228 BHN
416	5.00	1.75	64	1	D31128	207-217 BHN
416	5.37	2.00	65.75	1	A25468	228 BHN
416	6.00	2.00	40	1	D31128	207-217 BHN
416	6.50	4.37	73.5	1	D31432	196 BHN
416	7.00	4.87	78.12	1	D31432	196 BHN
416	7.62	3.25	78.5	1	A25381	217-196 BHN
416	7.62	3.25	32.5	1	A25023	217 BHN
416	7.62	3.37	77.62	1	D31129	207-217 BHN
416	8.00	3.87	41	1	A24032	207-217 BHN
416	8.00	4.00	77.25	1	A25381	196 BHN
416	8.50	5.12	66.5	1	A23632	228 BHN
416	8.62	5.25	78.25	1	A25023	217 BHN
416	8.62	5.25	64.62	1	A25376	196 BHN
416	8.62	5.25	78	1	A24323	228 BHN
416	9.12	2.50	72.5	1	A24033	217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
416	9.12	2.62	77	1	J12322	207 BHN
416	9.50	7.00	49.75	1	D25440	207-217 BHN
416	9.50	7.00	78.25	1	J11284	207 BHN
416	10.25	3.00	61.5	1	A25535	196 BHN
416	10.25	6.75	32.37	1	A25022	207 BHN
416	10.62	4.62	78	1	A25534	196 BHN
416	10.62	4.75	37.87	1	E11490	207 BHN
416	12.25	4.87	66.62	1	K13601	207 BHN
416	12.25	8.00	13	1	A23063	217 BHN
416	12.37	4.62	59.75	1	J11549	217 BHN
416	12.37	7.75	78.25	1	A25394	196 BHN
416	12.37	7.87	70.62	1	A25219	196 BHN
416	13.12	5.50	17.75	1	K13500	187 BHN
416	13.75	5.62	78	1	K14197	196 BHN
416	14.37	11.00	86.75	1	J12322	202 BHN
416	14.50	7.00	7.87	1	J11529	217 BHN
416	14.50	7.00	47	1	J11600	217 BHN
416	15.25	12.00	77.25	1	A25395	196-207 BHN
416	16.00	13.75	11	1	B30047	34 HRC
416	16.12	13.50	34	1	K13728	217 BHN
416	16.12	13.75	78	1	J12401	196 BHN
416	17.62	14.50	78.25	1	A25382	196 BHN
416	18.87	11.37	68.62	1	J12380	196 BHN
420	3.12	1.75	15.5	1	D28865	217-228 BHN
420	3.75	1.50	41	1	B32819	207-217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420	4.00	1.50	12.87	5	C12675	228 BHN
420	4.00	1.75	38.75	1	B32819	207-217 BHN
420	4.00	2.62	21.25	1	B31757	196-228 BHN
420	4.25	1.50	78.12	1	C12856	228 BHN
420	4.37	1.37	78	1	B33841	217-228 BHN
420	4.37	1.50	22.12	1	B33841	217-228 BHN
420	4.50	1.50	12.87	1	B29804	241-269 BHN
420	5.00	1.37	41.25	1	E11422	228-241 BHN
420	5.00	2.00	77	1	B33510	212 BHN
420	5.00	2.87	48.25	1	D30895	223 BHN
420	5.00	2.87	78.37	1	E11586	217 BHN
420	5.50	2.25	23	1	D31365	228 BHN
420	5.75	1.75	18.5	1	B32812	228 BHN
420	6.00	1.62	37.75	1	D30193	207-217 BHN
420	6.00	1.87	61.75	1	A23700	207-217 BHN
420	6.00	1.87	77.87	1	D28871	228 BHN
420	6.00	2.75	41	1	B33370	217-228 BHN
420	6.00	2.75	41	1	D30840	207 BHN
420	6.00	3.87	78.5	1	D31414	196-207 BHN
420	6.12	1.75	77.5	1	D29300	241 BHN
420	6.25	2.75	78.5	1	B33769	228 BHN
420	6.37	3.25	77.5	1	D31340	207-228 BHN
420	6.50	2.87	34.12	1	A23700	217 BHN
420	6.50	4.50	8.5	1	D31192	228 BHN
420	6.75	2.00	28.5	1	K13176	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420	6.75	3.00	28.37	2	A17003-2	31-32 RC
420	6.75	3.00	25.37	1	D19300	302 BHN
420	6.75	3.00	54.37	1	A17003-1	31-32 RC
420	6.75	3.00	18.75	1	E9695-2	293 BHN
420	6.75	3.00	15.12	1	E9695-2	293 BHN
420	6.75	3.00	20.62	1	D19243	32 RC
420	7.00	2.50	21.62	1	D25497	228 BHN
420	7.00	3.50	24.37	1	A22268	217 BHN
420	7.00	3.50	70.5	1	A24746	217 BHN
420	7.00	3.87	40.62	1	D28622	228 BHN
420	7.12	2.50	11.12	1	D26800	228 BHN
420	7.25	3.37	24.5	1	B33558	269 BHN
420	7.25	5.62	15.75	1	B31304	241 BHN
420	7.37	5.00	61.87	1	D30696	217 BHN
420	7.50	2.25	11	1	D29641	248 BHN
420	7.50	2.50	69.87	1	A21908	207-217 BHN
420	7.50	2.50	77.75	1	A25389	207-228 BHN
420	7.50	2.62	77.37	1	E11600	228 BHN
420	7.50	2.75	16.12	1	A21862	228 BHN
420	7.50	2.75	78	1	J12424	217-228 BHN
420	7.50	3.25	78	1	A25509	207-217 BHN
420	7.50	4.25	41.75	1	B31772	217 BHN
420	7.50	5.25	17	1	D31192	228 BHN
420	7.50	5.25	52.25	1	D29708	241 BHN
420	7.75	6.00	24.87	1	B33557	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420	8.00	2.87	78	1	K14235	207 BHN
420	8.00	3.87	36.5	1	A25517	217 BHN
420	8.00	4.25	46.12	1	D29339	235 BHN
420	8.00	4.25	78	1	D31577	217-228 BHN
420	8.00	4.75	26.25	1	D26997	235 BHN
420	8.00	4.75	64.62	1	A24193	228 BHN
420	8.00	5.25	78	1	D31576	217 BHN
420	8.00	5.37	78.37	1	D31140	217-228 BHN
420	8.00	5.75	16	1	D27132	228 BHN
420	8.00	5.87	78	1	D30909	223 BHN
420	8.00	5.87	41.12	1	D30909	223 BHN
420	8.12	2.87	77	1	A25531	228 BHN
420	8.25	2.75	77.75	1	A25389	207-228 BHN
420	8.50	2.50	15.25	1	E11201	241 BHN
420	8.50	2.50	34.12	1	D27531	241 BHN
420	8.50	2.62	73	1	K14237	207 BHN
420	8.50	3.00	25.37	1	A21919	207-217 BHN
420	8.50	4.12	100.87	1	J12321	223 BHN
420	8.50	4.25	101	1	A25516	217 BHN
420	8.50	4.37	15.75	1	A21863	228 BHN
420	8.50	5.25	73.87	1	D31414	207-228 BHN
420	8.50	6.25	78	1	J12362	228 BHN
420	8.50	6.37	78.12	1	A25423	217 BHN
420	9.00	2.62	31.87	1	J12051	241-255 BHN
420	9.00	2.75	77.75	1	A25027	217 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420	9.00	5.75	46.25	1	K14135	207-217 BHN
420	9.12	2.75	77.75	1	A24034	207-217 BHN
420	9.12	2.75	77.75	1	A25026	217 BHN
420	9.12	4.75	78	1	A25530	217-228 BHN
420	9.12	5.75	78	1	A25510	207 BHN
420	9.12	6.87	78	1	A25531	217 BHN
420	9.25	6.75	56	1	B31226	217 BHN
420	9.50	3.25	74.25	1	A21971	228 BHN
420	9.50	3.37	57.5	1	J11547	228 BHN
420	9.50	7.12	13.87	1	A22808	228 BHN
420	9.87	3.25	13.5	1	A25452	217-241 BHN
420	9.87	6.87	60.62	1	A25340	196-217 BHN
420	10.00	3.62	8	1	A22871	241 BHN
420	10.00	6.87	78.37	1	J12321	228 BHN
420	10.25	4.12	78.25	1	A25220	217-228 BHN
420	10.37	8.50	23.87	1	A25249	228 BHN
420	10.50	6.00	78	1	A25515	2217 BHN
420	11.00	9.00	53.75	1	K14139	217-228 BHN
420	11.12	5.75	76.25	1	E11613	207-228 BHN
420	11.12	5.87	36.5	1	J12012	228 BHN
420	11.12	6.87	41.75	1	K13876	241 BHN
420	11.12	6.87	66.87	1	A25055	217 BHN
420	11.12	7.75	76	1	A25517	207-217 BHN
420	11.50	7.25	38	1	J11944	217 BHN
420	11.75	8.12	8.62	1	A24874	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420	12.25	5.00	10.5	1	J11946	217 BHN
420	12.25	8.50	24.25	1	A24996	228 BHN
420	12.37	4.62	78	1	K14201	217-228 BHN
420	12.37	4.62	73.25	1	K14135	207-217 BHN
420	12.37	7.62	78	1	K14236	207-211 BHN
420	12.62	8.37	13.5	1	K13160	228 BHN
420	12.62	8.37	22.25	1	J12166	235 BHN
420	12.62	8.37	63.75	1	A22967	228 BHN
420	12.62	8.37	27.25	1	A22968	228 BHN
420	12.62	10.50	62.75	1	D26801	228 BHN
420	12.75	8.75	10	1	A20189	217 BHN
420	13.12	6.62	64	1	A25344	217 BHN
420	13.12	9.62	41.75	1	J12403	217 BHN
420	13.12	11.00	39.12	1	A21908	207 BHN
420	13.25	9.75	77.5	1	A25380	217 BHN
420	13.50	10.62	99	1	J12404	228-207 BHN
420	14.00	9.25	7.62	1	K13656	217-228 BHN
420	14.12	8.62	61.62	1	K13176	228 BHN
420	14.12	8.62	75	1	A25574	207 BHN
420	14.12	8.87	7.25	1	E11124	228 BHN
420	14.12	11.00	13.25	1	J11945	207 BHN
420	14.62	7.12	70	1	J12368	217 BHN
420	14.62	10.75	29	1	A24292	228-255 BHN
420	14.62	10.87	8.38	1	E11586	207 BHN
420	15.12	9.50	40.12	1	J11566	207 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420	15.12	9.87	31.5	1	J11540	207 BHN
420	15.25	9.50	77	1	K14267	228 BHN
420	16.12	10.75	21.78	1	J11998	228 BHN
420	16.12	13.00	78	1	K14237	207-217 BHN
420	16.12	13.00	45	1	A25211	217-228 BHN
420	16.25	10.62	77	1	K14263	217 BHN
420	16.62	9.00	17.12	1	A23272	228 BHN
420	16.62	9.12	23.69	1	A23640	228 BHN
420	16.62	9.50	19	1	J12190	302 BHN
420	17.12	9.75	68.5	1	K13825	228 BHN
420	17.12	9.75	17.25	1	J11565	228 BHN
420	17.12	10.00	13	1	K13603	196 BHN
420	17.12	11.00	77.5	1	K14192	217 BHN
420	17.50	14.25	13.5	1	A25160	207 BHN
420	18.12	10.50	33.25	1	J11433	217 BHN
420	18.25	15.00	75.75	1	A25343	217 BHN
420	18.62	14.12	29.75	1	K13681	228 BHN
420	19.50	15.00	78.5	1	J12375	228 BHN
420	19.50	16.87	58.75	1	A25342	217 BHN
420	22.62	19.37	21.5	1	J11779	241-255 BHN
420	22.87	19.75	11	1	A22416	207-217 BHN
420F	4.00	1.50	34.5	1	B29720	255 BHN
420F	4.50	1.37	12.12	1	C12115	255 BHN
420F	6.50	2.50	55	1	B29490	228 BHN
420F	6.50	4.50	51.37	1	A22259	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420F	6.75	2.50	42.62	1	A18132	269 BHN
420F	7.00	2.25	78.62	1	A22263	228 BHN
420F	7.00	3.50	77.62	1	A21922	228 BHN
420F	7.00	3.75	78.5	1	A22262	228 BHN
420F	7.00	4.25	12.62	1	C13083	228 BHN
420F	7.00	4.75	59.37	1	A22261	228 BHN
420F	7.12	2.75	26.75	1	A23099	321 BHN
420F	7.50	3.37	17.37	1	E11123	241 BHN
420F	7.50	4.25	28.25	1	B30515	241 BHN
420F	7.50	5.37	78.12	1	B31031	241-255 BHN
420F	7.75	5.12	56.25	1	D30012	241 BHN
420F	7.75	5.12	22.37	1	A23293	228 BHN
420F	8.00	4.00	65.12	1	K13177	228-241 BHN
420F	8.00	4.50	64.87	1	A22261	228 BHN
420F	8.00	5.75	55.5	1	A22054	241 BHN
420F	8.50	4.25	77.12	1	A22259	228 BHN
420F	8.50	5.00	77.12	1	A21440-1	228 BHN
420F	8.50	6.37	56.5	1	A22051	241 BHN
420F	9.00	2.25	64.75	1	A21608	321 BHN
420F	9.00	2.75	49	1	E11137	228 BHN
420F	9.00	3.00	12	1	A21936	228 BHN
420F	9.00	5.00	56.87	1	K13179	255 BHN
420F	9.00	5.75	78.5	1	A22263	228 BHN
420F	9.00	6.50	44.87	1	A20890	241 BHN
420F	9.00	6.75	56.87	1	A22262	228 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
420F	10.25	7.00	14.5	1	A22051	241 BHN
420F	11.50	7.00	58	1	J11558	228 BHN
420F	11.50	7.37	59.75	1	A22053	241 BHN
420F	11.50	8.37	12.5	1	A22054	241 BHN
420F	11.50	9.25	78.5	1	A23015	241 BHN
420F	11.87	8.62	16.5	1	D28117	430 BHN
420F	12.12	10.00	52.12	1	E7360	228 BHN
420F	12.25	8.12	20.12	1	A23293	444 BHN
420F	13.00	7.50	33.75	1	K13180	255 BHN
420F	13.00	11.00	52	1	E7548	228 BHN
420F	13.12	10.00	13	1	A17506	228 BHN
420F	14.12	9.00	64.25	1	E10884	228 BHN
420F	15.00	12.00	38.25	1	J11558	228 BHN
420F	15.12	8.00	11.62	1	K12068	217-228 BHN
420F	15.12	8.00	32.5	1	J11559	228 BHN
420F	18.12	10.62	65.62	1	J11564	228 BHN
420F	18.12	10.62	30.25	1	J10296	228 BHN
420F	18.12	13.00	27.87	1	K13286	255-269 BHN
420F	20.12	15.00	33.25	1	K13283	228-241 BHN
420F	20.12	17.00	21.62	1	K12044	241 BHN
440A	3.50	1.62	34.12	1	B24446	269-286 BHN
440A	4.12	1.50	17.37	1	B29323	286 BHN
440A	4.12	1.50	8.25	1	B29323	286 BHN
440A	4.50	1.50	66.75	1	B33559	262-277 BHN
440A	4.50	2.50	78.5	1	B31118	286 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
440A	4.50	2.50	46.5	1	B29222	241 BHN
440A	5.00	1.87	20.75	1	B30559	286 BHN
440A	5.00	3.00	6.62	1	B27087	269-286 BHN
440A	6.00	1.62	23.25	1	B33553	179 BHN
440A	6.00	3.87	78.37	1	D28049	255 BHN
440A	6.75	4.50	27	1	B26508	277 BHN
440A	7.12	4.00	58.87	1	E10227	269 BHN
440A	7.12	4.62	17.37	1	A19066	286 BHN
440A	7.12	5.00	66.37	1	D23941	269 BHN
440A	7.12	5.00	12.87	1	A16946	269-286 BHN
440A	7.25	3.75	48	1	A19926	286 BHN
440A	8.00	3.75	46.75	1	E10225	277 BHN
440A	8.00	3.87	78.5	1	A25401	255 BHN
440A	8.12	5.62	23.75	1	C12480	321 BHN
440A	8.50	4.50	48	1	A19281	269 BHN
440A	8.50	4.62	20.62	1	A16310	285 BHN
440A	8.50	5.00	10.62	1	A16309	285 BHN
440A	9.00	6.50	48.25	1	J11295	269 BHN
440A	9.12	5.75	78	1	A25401	241-269 BHN
440A	9.25	4.62	17.75	1	D31560	255-269 BHN
440A	9.50	6.37	15.37	1	K13082	269 BHN
440A	10.00	3.62	78	1	A25424	255 BHN
440A	10.25	6.87	65.25	1	A22613	255 BHN
440A	10.37	5.75	77.37	1	A25388	286 BHN
440A	11.25	6.62	12.87	1	A13354	255 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
440A	11.62	6.87	13.62	5	A14780	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.5	4	A14778	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.37	5	A14785	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.5	5	A14771	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.5	4	A14779	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	13.37	3	A14772	255-269 BHN <i>Rough Machined</i>
440A	11.62	6.87	8.75	1	A14772	255-269 BHN <i>Rough Machined</i>
440A	12.12	7.00	69.25	1	J11296	269 BHN
440A	12.12	8.00	8.37	1	A18389	286 BHN
440A	12.75	5.00	10.75	1	K13083	269 BHN
440A	13.12	7.75	77	1	A25425	255 BHN
440A	13.12	8.00	11	1	A16945	286 BHN
440A	13.12	9.00	18.5	1	J10563	286 BHN
440A	13.12	10.00	11	1	A16946	286 BHN
440A	13.75	6.00	6.37	1	K13111-4	269 BHN
440A	14.00	9.87	97.75	1	K14200	269 BHN
440A	19.62	12.00	17	1	J10814	255 BHN
440A	23.00	16.62	14	1	J10580	285 BHN
440A	23.12	16.12	13.5	1	J10911	241-255 BHN
440A	23.12	16.25	19.62	1	J10801	269 BHN
440B	8.50	4.62	12.25	1	D26666	277 BHN
440B	8.50	5.25	63.62	1	A23222	269 BHN
440C	4.75	3.87	78.5	1	B31495	302 BHN
440C	5.37	3.75	27	1	C12403	302 BHN
440C	8.50	6.00	6.75	1	C11864	52 RC

Contact your sales rep:

Kim: kholmes@texasstainless.com
 Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
440C	10.00	8.50	45	1	D28700	302 BHN
440C	10.12	8.50	10.62	1	B27369	302 BHN
440C	18.75	13.25	13.12	1	K10744	286 BHN MODIFIED
440C	18.75	13.25	17.5	1	J9783	255 BHN MODIFIED
440C	18.75	13.25	10	1	J9486	286 BHN MODIFIED
440C	20.75	17.25	15.62	1	D19229	302 BHN
440C	21.25	16.00	57.62	1	J11175	302 BHN
C958	13.50	7.75	12.62	2	K12002	
CA6	3.00	2.50	12.37	2	B30547	255 BHN <i>Rough Machined</i>
CA6	3.75	1.75	12.37	2	B22703-3	255 BHN NDT
CA6	3.75	1.87	12.37	2	B32459	269 BHN
CA6	3.75	1.87	15.25	1	D28145	269 BHN
CA6	4.00	1.37	76.12	1	D30454	269 BHN
CA6	4.12	1.37	69.87	1	B33328	277 BHN
CA6	4.50	2.49	17.75	1	D29084	255 BHN <i>Rough Machined</i>
CA6	4.50	2.49	11.87	1	D29084	255 BHN <i>Rough Machined</i>
CA6	5.00	3.62	30.62	1	D28141	269 BHN
CA6	5.00	3.62	24.87	1	D28141	269 BHN
CA6	5.50	2.75	70.25	1	A25020	277-269 BHN
CA6	5.75	2.50	57.5	1	D31222	255-269 BHN
CA6	6.00	2.87	31.12	1	D30346	255-269 BHN CLASS A
CA6	6.00	2.87	72.25	1	A25279	255-269 BHN
CA6	6.37	3.00	7.37	1	D28694	277 BHN
CA6	6.50	3.12	50.25	1	A24741	269 BHN CLASS A
CA6	6.50	3.25	78.37	1	D31222	241-269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CA6	6.50	3.87	22.25	1	B32275	277 BHN
CA6	6.62	3.37	23.87	1	A25314	241-255 BHN
CA6	6.62	4.00	27.62	1	D28143	269-277 BHN
CA6	6.75	2.75	30.44	1	A23812	255 BHN NDT
CA6	7.00	3.12	17.5	1	A25315	269 BHN
CA6	7.00	3.25	78.25	1	A25265	269 BHN
CA6	7.00	3.37	6.12	1	D30345	255-269 BHN CLASS A
CA6	7.00	4.37	77.5	1	B33274	269 BHN
CA6	7.00	5.37	44.37	1	D30425	277 BHN
CA6	7.12	2.62	18.25	1	B31827	269 BHN
CA6	7.12	4.00	34.63	1	A24287	255 BHN NDT
CA6	7.25	4.12	26.69	1	A22401	255 BHN
CA6	7.37	4.75	35	1	A24372	269 BHN
CA6	7.37	4.75	31	1	B32933	255-269 BHN
CA6	7.37	4.75	24.37	1	B32932	255-269 BHN
CA6	7.50	2.12	71.37	1	E11581	269 BHN
CA6	7.50	4.37	78.37	1	A24992	277 BHN
CA6	7.50	4.50	50.25	1	D25990	269 BHN
CA6	7.50	5.25	14.5	1	B22443	255 BHN
CA6	7.75	4.87	24.25	1	D30452	269 BHN
CA6	8.00	2.75	6.25	1	A17128	255 BHN CLASS A
CA6	8.00	4.62	33.75	1	D19269	269 BHN
CA6	8.00	4.75	23.5	1	D18366	269 BHN
CA6	8.00	4.75	33.5	1	J9704	269 BHN
CA6	8.00	4.75	25.75	1	A14659	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CA6	8.00	4.75	23.25	1	D18372	269 BHN
CA6	8.00	4.75	23	1	D18087	269 BHN
CA6	8.00	4.75	16.5	1	E7108	269 BHN
CA6	8.00	4.75	11	1	D18076	269 BHN
CA6	8.00	4.75	33.75	1	J9703	255-269 BHN
CA6	8.00	4.75	23	1	D18373	269 BHN
CA6	8.00	4.75	25.5	1	A14658	269 BHN
CA6	8.00	4.87	22.87	1	E9565	269 BHN
CA6	8.00	4.87	30.12	1	E9562-2	269 BHN
CA6	8.00	4.87	29.87	1	E9563	269 BHN
CA6	8.00	4.87	14.62	1	E9564-1	269 BHN
CA6	8.50	2.25	33.37	1	A24130	277 BHN
CA6	8.50	3.25	15.87	1	K12945	269 BHN
CA6	8.50	3.37	24.25	1	D22904	285 BHN
CA6	8.50	4.50	16.75	1	D18993	269 BHN
CA6	8.50	4.50	27.62	1	A14762	269 BHN
CA6	8.50	4.50	24	1	A15326-2	269 BHN
CA6	8.50	4.62	30.25	1	K11943	269 BHN
CA6	8.50	5.75	71	1	A24992	277 BHN
CA6	8.62	4.75	27.62	1	K11944	269 BHN
CA6	8.62	5.87	78	1	A25265	269 BHN
CA6	8.75	4.50	20.25	1	E10908	269 BHN
CA6	8.75	4.50	21	1	A14765	269 BHN
CA6	8.75	4.50	12	1	E9523	269 BHN
CA6	9.12	4.50	7.25	1	K13108	255 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CA6	9.12	6.87	68.25	1	A25013	255-269 BHN
CA6	9.25	4.50	19.87	1	A23111	23 BHN NDT
CA6	9.50	3.12	15.12	1	A22987	269 BHN
CA6	9.50	5.50	19.87	1	A21501	255 BHN
CA6	9.50	5.75	101.75	1	A25020	277-269 BHN
CA6	9.75	7.62	37	1	A21715	255 BHN
CA6	10.00	6.00	8.12	1	D26267	269 BHN
CA6	10.50	6.00	39.5	1	E9644	285 BHN
CA6	10.50	6.25	71.87	1	E11457	255 BHN CLASS A
CA6	10.50	7.25	8	1	D26743	255 BHN NDT
CA6	10.62	5.00	43.62	1	A22509	255-269 BHN
CA6	11.00	7.75	92.75	1	J12260	255 BHN
CA6	11.00	7.87	76.87	1	A25268	255 BHN
CA6	11.00	7.87	36	1	E11492	269 BHN
CA6	11.12	5.75	10.12	1	E9647	269 BHN
CA6	11.12	8.12	23.87	1	D28755	255 BHN
CA6	11.12	8.12	37.5	1	A20675	255 BHN
CA6	11.75	7.62	19.75	1	A22441	255 BHN
CA6	12.12	7.50	16.75	1	B31647	269 BHN
CA6	12.12	9.25	11.75	1	A22630	255 BHN
CA6	12.25	8.75	23.37	1	B33307	241-255 BHN
CA6	13.12	4.87	33	1	K13637	269 BHN
CA6	13.12	9.50	77.5	1	K14160	269 BHN
CA6	13.12	9.87	16.49	1	A21850	255 BHN NDT
CA6	13.75	11.50	83.25	1	K11565	285 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CA6	14.12	7.12	9.62	1	J9749	255-269 BHN
CA6	14.25	7.00	34.07	1	J11987	255 BHN NDT
CA6	14.37	6.12	66.62	1	K13960	269 BHN CLASS A
CA6	14.37	6.62	86.75	1	K14161	269 BHN
CA6	14.75	12.62	7.37	1	A20933-1	277 BHN
CA6	15.50	9.25	21	1	A19951	340 BHN
CA6	15.50	9.37	36.87	1	K14210	285 BHN
CA6	15.75	5.62	12.75	1	K13143	241 BHN
CA6	15.75	5.62	17.5	1	K13143-1	241 BHN
CA6	15.75	7.37	24.25	1	J11235	285 BHN
CA6	15.75	11.37	18.62	1	E11107	255 BHN NDT
CA6	15.87	8.87	22.87	1	J11258	255 BHN
CA6	15.87	10.50	11	1	K12395-2	285 BHN
CA6	15.87	10.50	10.87	1	K12395-2	285 BHN
CA6	15.87	10.50	8.75	1	K12395-1	285 BHN
CA6	16.50	10.87	8.75	1	LA55 2	255 BHN
CA6	16.50	10.87	13.62	1	LA54 2	269 BHN
CA6	17.00	13.00	14.12	1	D31185	269 BHN
CA6	17.12	11.00	37.75	1	J11732	255 BHN
CA6	17.50	11.50	23.62	1	J12299	241 BHN
CA6	18.75	14.25	18.75	1	K13686	255 BHN NDT
CA6	18.75	14.25	26.12	1	K13686	255 BHN NDT <i>Rough Bored</i>
CA6	18.75	16.50	31.87	1	A23593	241-255 NDT
CA6	19.00	17.00	12.75	1	K12945	269 BHN
CA6	19.25	13.25	46.12	1	LA758	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



400 Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CA6	19.25	14.12	44.5	1	LA757	241-255 BHN
CA6	20.12	11.50	7.12	1	J11530	269 BHN
CA6	20.62	14.12	12.87	1	A24697	28 RC
CA6	21.62	15.25	35.37	1	A23185	269 BHN
CA6	21.62	15.25	77.12	1	J12358	255 BHN
CA6	22.50	17.87	16.37	2	J11916	269 BHN
CA6	23.50	16.75	20.12	1	K13826	255 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Carbon Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
WC9	9.87	6.75	24.37	1	B31196	
WC9	10.62	5.00	15.87	1	A18955	
WC9	10.62	6.00	12.25	1	J11067	
WC9	11.25	6.50	15.88	1	B30543	
WCB	4.25	2.75	53.5	1	B31228	
WCB	9.87	7.50	32.75	1	D29611	
WCB	9.87	8.00	28.5	1	B31697	
WCB	10.37	7.75	13.37	1	D23767	
WCC	5.00	2.50	17.75	1	B27670	
WCC	6.00	2.75	18	1	B27680	
WCC	7.25	3.12	59.75	1	D29107	
WCC	12.12	8.87	32.25	1	A19678	
WCC	14.50	9.50	13.25	1	D28614	196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
D50	3.50	1.50	51	1	C11447	
D50	3.62	1.37	20.25	1	B34069	
D50	4.50	1.50	42.87	1	B27146	
D50	5.00	2.00	64	1	D31425	
D50	5.25	2.00	43.5	1	B16751	
D50	5.50	2.00	77.62	1	D23019	
D50	5.50	2.87	77.87	1	D31426	
D50	5.75	2.75	22.37	1	D18802	
D50	5.75	4.12	59.69	1	C12634	
D50	6.00	1.87	22.75	1	D23503-2	
D50	6.00	2.75	77	1	A21978	
D50	6.00	3.00	20	1	K12143	
D50	6.00	3.87	77.62	1	D31425	
D50	6.12	1.75	25.75	1	B30729	
D50	6.25	3.12	37	1	D16772	
D50	6.25	3.12	37	1	D16773	
D50	6.25	3.12	29.5	1	D16776	
D50	6.25	3.12	37	1	D16774	
D50	6.37	2.87	14.87	2	B23811	
D50	6.50	2.87	34.25	1	B27691	
D50	6.50	4.00	54	1	D19057	
D50	6.62	3.50	11.75	1	J8823	
D50	6.62	3.50	77.37	1	B27147	
D50	6.75	5.00	84.5	1	D18801	
D50	6.75	5.00	78.12	1	D18802	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
D50	7.00	3.75	19.25	1	C12416	
D50	7.00	3.75	77.5	1	D31426	
D50	7.12	2.75	21	1	C12754	
D50	7.37	4.87	72	1	D31444	
D50	7.50	2.62	77.5	1	A21978	
D50	7.50	3.00	19.25	1	D23725	
D50	8.00	4.00	71.75	1	J10919	
D50	8.00	6.00	77.87	1	D31444	
D50	8.50	3.50	76.25	1	A19295	
D50	9.00	5.00	35.87	1	J10919	
D50	9.25	4.00	16.25	1	J10873	
D50	9.25	6.87	77.12	1	D31443	
D50	10.00	7.00	24.25	1	B30729	
D50	10.25	5.00	20.25	1	J10875	
D50	10.25	7.00	11	1	K12143	
D50	10.25	7.87	76.87	1	D31447	
D50	10.50	7.00	56.87	1	J9766	
D50	10.50	7.12	15.5	1	D24150	<i>Rough Machined</i>
D50	11.25	5.50	35.75	1	J10875	
D50	11.75	3.87	19.25	1	D23553	
D50	12.25	6.50	77.75	1	J10873	
D50	12.25	8.50	54.25	1	A17615	
D50	12.50	8.00	72.12	1	A15355	
D50	12.50	8.50	73	1	A15356	
D50	12.50	8.62	11.75	1	A13778	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
D50	12.62	9.25	15.12	1	D24150	
D50	13.12	6.00	26.75	1	J9764	
D50	13.12	7.50	77.37	1	J10874	
D50	13.12	8.00	50.75	1	A15357	
D50	13.12	9.50	77.5	1	K12143	
D50	13.12	10.00	42.87	1	J9770	
D50	13.12	11.00	23.5	1	K8766	
D50	14.12	7.00	77.25	1	J9772	
D50	14.12	8.50	75.87	1	J10918	
D50	14.12	9.00	76	1	A15349	
D50	22.62	18.37	31.75	1	A23986	
D50	22.62	18.37	16	1	A22628	
D60	3.25	1.50	78	1	C13200	
D60	3.75	1.37	51.5	1	B33487	
D60	4.12	1.37	49.12	1	B33487	
D60	4.37	2.50	18.75	1	C13226	
D60	5.00	1.75	60.5	1	B33498	
D60	5.25	4.12	58.25	1	A19962	
D60	6.00	2.62	52	1	J12241	
D60	7.00	4.00	66.12	1	K14069	
D60	7.87	4.62	77.87	1	A25408	
D60	7.87	4.62	67.62	1	A24967	
D60	8.00	4.12	66.25	1	A21904	
D60	8.00	4.50	21	1	D19096	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
D60	8.00	4.75	23.62	1	A21905	
D60	8.50	5.37	77.75	1	D31442	
D60	8.50	6.37	69.87	1	K14067	
D60	9.00	4.50	22.37	1	A15417	
D60	9.25	4.50	76.87	1	A21905	
D60	9.25	4.50	52.12	1	A21904	
D60	9.25	4.75	44.25	1	A21970	
D60	9.25	5.75	70.75	1	A24969	
D60	9.75	4.62	51.25	1	E9669	
D60	9.75	4.75	34.75	1	E9668	
D60	9.75	5.00	59	1	A15379	
D60	10.25	5.75	77	1	A21901	
D60	10.25	6.75	37.25	1	D26774	
D60	10.50	4.75	28.87	1	K12610	
D60	10.62	7.25	52.5	1	A24970	
D60	11.50	8.25	76.87	1	A25408	
D60	11.50	9.37	77.75	1	A24968	
D60	12.12	10.50	13.75	1	A19962	
D60	12.62	8.12	65.75	1	A25410	
D60	12.62	10.37	71.5	1	K14063	
D60	13.12	8.62	76.87	1	A25412	
D60	14.50	10.12	77.12	1	A25414	
D60	14.75	12.25	13.5	1	B28949	
D60	15.50	12.00	77.87	1	A25413	
D60	19.00	16.12	10.25	1	D22530	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Delta Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
D60	24.50	19.50	23.5	1	A22629	
D60	25.00	19.87	21.25	1	J11702	
D60	26.00	20.37	29.37	1	E10853	
D88/CY5SnBiM	4.75	1.87	24.37	1	A22996	
D88/CY5SnBiM	4.75	1.87	16.37	1	A22996	
D88/CY5SnBiM	4.75	1.87	47.5	1	B31287	
D88/CY5SnBiM	5.00	2.87	29	1	B27603	
D88/CY5SnBiM	5.37	2.75	16.25	1	A22996	
D88/CY5SnBiM	5.50	3.25	9.62	1	B28252-1	
D88/CY5SnBiM	5.50	3.25	9.25	1	B28252-2	
D88/CY5SnBiM	5.50	3.25	7.87	1	B28252-2	
D88/CY5SnBiM	6.12	4.00	24.12	1	B29074	
D88/CY5SnBiM	6.50	4.37	25.87	1	B30664	
D88/CY5SnBiM	7.50	5.75	17.5	1	C10098	
D88/CY5SnBiM	7.87	5.50	14.62	1	B21150	
D88/CY5SnBiM	7.87	5.62	14.62	1	C11007-1	
D88/CY5SnBiM	7.87	5.62	12.75	1	C11007-2	
D88/CY5SnBiM	9.75	6.25	35.63	1	D29627	
D88/CY5SnBiM	9.75	6.37	24.38	1	A22997	
D88/CY5SnBiM	10.37	6.50	15.12	1	D27230	
D88/CY5SnBiM	10.50	6.50	14	1	D27231	
D88/CY5SnBiM	12.50	8.50	14.75	1	A10941	
D88/CY5SnBiM	13.75	11.37	22.12	1	B27873	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
2205	3.37	1.50	19.37	1	A20010	
2205	4.00	1.50	43.12	1	C12853	
2205	4.50	1.50	48.75	1	D30183	
2205	4.50	2.25	24.25	1	D31089	
2205	5.00	1.62	70.25	1	D30183	
2205	5.50	2.00	54.87	1	B32499	
2205	6.00	3.00	78	1	D31089	
2205	6.00	3.00	7.62	1	A24619	
2205	6.50	3.12	17.75	1	D29666	
2205	7.00	3.12	77	1	A25174	
2205	8.00	3.62	78	1	A25173	
2205	8.00	4.62	54.62	1	D30186	
2205	8.50	5.62	72.75	1	D30185	
2205	8.50	5.75	28.87	1	A20621	
2205	9.00	5.50	68.25	1	D30187	
2205	9.00	5.87	47.87	1	A22046	
2205	9.00	6.00	10.37	1	A21197	
2205	9.50	4.50	68.75	1	A24570	
2205	9.50	6.12	101.5	1	A24619	
2205	9.50	6.25	45.37	1	A22046	
2205	9.62	5.62	11.62	1	D24691	
2205	9.75	5.62	78	1	A25173	
2205	10.25	7.00	37.12	1	J11634	
2205	10.37	5.62	76.75	1	J12311	
2205	10.37	6.75	76.62	1	D30207	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
2205	11.12	7.75	84.12	1	A25174	
2205	12.12	8.75	86.12	1	J12311	
2205	12.50	9.00	36.37	1	J11906	
2205	19.00	15.62	15.62	1	A16931-1	
2205	23.50	17.37	34.12	1	A25558	
254	7.75	5.25	15	1	D28297	
254	8.50	5.25	13.5	1	E10702	156 BHN
254	8.50	5.25	13.37	1	E10702	156 BHN
254	9.25	5.87	13.5	1	A18960	179 BHN
254	11.12	7.75	11.5	1	D28297	
254	14.50	5.75	12.5	1	A23133	
3A	7.00	4.87	20.37	1	C11275	
5A	6.62	4.50	35.32	1	B31403	
5A	7.25	5.25	36.25	1	B28399	
5A	15.50	12.50	14.5	1	B25871	
5A	16.50	14.00	43	1	A19542	
5A	19.12	13.62	37.62	1	J11514	
CD4	3.50	1.25	16.25	1	A22383	269 BHN
CD4	3.62	1.25	27	1	C13109	
CD4	4.50	1.37	75.87	1	D31171	
CD4	4.62	3.12	12.62	1	C10097	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CD4	5.00	2.50	75.75	1	D31170	
CD4	5.25	3.12	39.75	1	B33364	27 RC
CD4	5.25	3.50	47.75	1	C13114	28 HRC
CD4	5.37	2.12	75.5	1	D31172	
CD4	5.50	2.37	44	1	B32817	
CD4	5.75	3.37	56.5	1	D31171	
CD4	6.00	3.62	74.87	1	D31172	
CD4	6.50	3.25	22.87	1	B32315	269 BHN
CD4	6.50	3.37	78.12	1	D31170	
CD4	6.50	3.75	40.25	1	E10249	269 BHN
CD4	6.50	4.37	59	1	B30454	
CD4	7.00	3.62	73.5	1	B32295	
CD4	7.00	3.62	77.25	1	D31221	
CD4	7.00	4.87	18.5	1	B29711	269 BHN
CD4	7.12	3.12	78	1	A21359	
CD4	7.12	3.87	20.5	1	D18094	
CD4	7.12	4.00	14.12	1	B26646	
CD4	7.12	4.25	46.37	1	B30763	293 BHN
CD4	7.75	5.50	19.5	1	C11932	302 BHN
CD4	7.75	5.75	11.25	1	B31286	269 BHN
CD4	7.75	5.75	19.75	1	C12479	286-302 BHN
CD4	7.87	5.75	28	1	B32215	
CD4	8.00	4.62	52.12	1	K13290	
CD4	8.00	4.75	66.12	1	A22383	269 BHN
CD4	8.50	3.62	53.75	1	A22020	

Contact your sales rep:

Kim: kholmes@texasstainless.com
 Nicholas: nfleeger@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CD4	8.50	4.00	12.37	1	D18965	
CD4	8.62	5.25	53.62	1	D31173	
CD4	9.00	4.75	54.62	1	A22021	
CD4	9.12	4.75	77.25	1	D31187	
CD4	9.25	3.75	20.25	1	E10249	
CD4	9.50	3.25	34	1	A21898	
CD4	9.62	5.75	82.87	1	J12320	
CD4	9.75	4.50	36.37	1	A19210	
CD4	10.00	6.50	23.75	1	A12926	
CD4	10.00	7.37	45.25	1	A24196	286-302 BHN
CD4	10.25	5.00	44.25	1	A18721	
CD4	10.25	7.00	19	1	D21770	
CD4	10.37	6.00	13.5	1	B29825	286 BHN
CD4	10.75	5.50	7.25	1	A13927	<i>Rough Machined</i>
CD4	11.12	4.00	36.75	1	A15300	
CD4	11.25	4.37	10.5	1	J8956	
CD4	11.25	6.00	28.25	1	A18421	
CD4	11.50	7.75	69.12	1	K14137	
CD4	11.50	8.00	10.25	1	A21359	
CD4	12.25	6.50	32.5	1	A19144	
CD4	12.37	6.75	77.87	1	K14137	
CD4	12.37	8.50	13.25	1	A15202	
CD4	12.62	8.37	16	1	K12891	269 BHN
CD4	13.00	10.50	69	1	D19180	300 BHN 1A CD4MCu
CD4	13.12	7.00	71.75	1	K11575	269 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



DuPlex Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CD4	13.12	7.50	66.25	1	K12608	
CD4	13.12	8.00	62.25	1	A15279	
CD4	13.12	9.00	11.37	1	A15280	
CD4	13.12	9.25	77.12	1	J12320	
CD4	13.50	8.50	78	1	A15309	
CD4	13.75	9.50	22.5	1	A12817	
CD4	13.87	9.50	62.75	1	K10665	
CD4	14.12	8.50	30	1	J10609	
CD4	14.25	10.00	48.25	1	K13288	
CD4	17.00	12.87	14	1	D29220	286 BHN
CD4	18.75	16.37	16.62	1	D27014	
CD4	19.75	16.50	7.75	1	D21300	

Contact your sales rep:

Kim: kholmes@texasstainless.com
 Nicholas: nfleeger@texasstainless.com

Inventory



Monel Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
-------	----	----	--------	-----	------	------------------

M30-C / MON E	7.00	5.50	12	4	D24805	<i>Rough Machined</i>
---------------	------	------	----	---	--------	-----------------------

M30-C / MON E	7.25	4.25	8.12	1	B31135	
---------------	------	------	------	---	--------	--

M30-C / MON E	14.00	12.25	14.12	2	D23050	
---------------	-------	-------	-------	---	--------	--

M30H / MON H	3.00	1.62	14.75	1	B25903	255 -269 BHN
--------------	------	------	-------	---	--------	--------------

M30H / MON H	3.00	1.75	15	1	C11656	255-269 BHN
--------------	------	------	----	---	--------	-------------

M30H / MON H	5.50	3.75	6.62	1	C11525	
--------------	------	------	------	---	--------	--

M30H / MON H	13.62	8.50	10.62	1	D24651	
--------------	-------	------	-------	---	--------	--

M35-1 / MON R	5.50	2.87	13.75	1	B29001	143 BHN
---------------	------	------	-------	---	--------	---------

M35-1 / MON R	7.25	5.37	16.87	1	B28295	143 BHN
---------------	------	------	-------	---	--------	---------

M35-1 / MON R	9.00	6.62	11.62	1	D20571-2	
---------------	------	------	-------	---	----------	--

M25S / MON S	3.50	1.75	53.25	1	B27701	302 BHN CL 3
--------------	------	------	-------	---	--------	--------------

M25S / MON S	4.00	2.37	10.62	1	C9248	321 BHN CL 1
--------------	------	------	-------	---	-------	--------------

M25S / MON S	4.00	2.37	10.5	1	C9248	321 BHN CL 1
--------------	------	------	------	---	-------	--------------

M25S / MON S	4.00	2.37	10.25	1	C9248	321 BHN CL 1
--------------	------	------	-------	---	-------	--------------

M25S / MON S	4.87	1.75	31.25	1	B26510	364 BHN CL 3
--------------	------	------	-------	---	--------	--------------

M25S / MON S	5.75	2.12	43	1	B26509	364 BHN CL 3
--------------	------	------	----	---	--------	--------------

M25S / MON S	7.25	5.12	20.87	1	C12314	340 BHN CL 1
--------------	------	------	-------	---	--------	--------------

M25S / MON S	8.37	5.62	24.37	1	B29893	340 BHN CL 3
--------------	------	------	-------	---	--------	--------------

M25S / MON S	10.37	7.62	10.62	1	A15986	340 BHN CL 1
--------------	-------	------	-------	---	--------	--------------

M25S / MON S	13.62	10.87	54.12	1	A20654	340 BHN CL 1
--------------	-------	-------	-------	---	--------	--------------

M25S / MON S	15.12	10.62	7.75	1	D25689-1	387 BHN CL3
--------------	-------	-------	------	---	----------	-------------

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Nickel Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
CW2M	3.75	1.87	29	1	C11572	
D88/CY5SnBiM	4.75	1.87	24.37	1	A22996	
D88/CY5SnBiM	4.75	1.87	16.37	1	A22996	
D88/CY5SnBiM	4.75	1.87	47.5	1	B31287	
D88/CY5SnBiM	5.00	2.87	29	1	B27603	
D88/CY5SnBiM	5.37	2.75	16.25	1	A22996	
D88/CY5SnBiM	5.50	3.25	9.62	1	B28252-1	
D88/CY5SnBiM	5.50	3.25	9.25	1	B28252-2	
D88/CY5SnBiM	5.50	3.25	7.87	1	B28252-2	
D88/CY5SnBiM	6.12	4.00	24.12	1	B29074	
D88/CY5SnBiM	6.50	4.37	25.87	1	B30664	
D88/CY5SnBiM	7.50	5.75	17.5	1	C10098	
D88/CY5SnBiM	7.87	5.50	14.62	1	B21150	
D88/CY5SnBiM	7.87	5.62	14.62	1	C11007-1	
D88/CY5SnBiM	7.87	5.62	12.75	1	C11007-2	
D88/CY5SnBiM	9.75	6.25	35.63	1	D29627	
D88/CY5SnBiM	9.75	6.37	24.38	1	A22997	
D88/CY5SnBiM	10.37	6.50	15.12	1	D27230	
D88/CY5SnBiM	10.50	6.50	14	1	D27231	
D88/CY5SnBiM	12.50	8.50	14.75	1	A10941	
D88/CY5SnBiM	13.75	11.37	22.12	1	B27873	
1600	9.00	4.50	14.5	1	B23889-2	
1600	11.12	6.75	23.38	1	C12331	187-196 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Nickel Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
I600	11.12	6.75	22.75	1	D16698	
I625	4.25	1.75	61.25	1	C11530	
I625	4.50	2.50	78.37	1	B27213	
I625	6.12	3.50	7.25	1	D24144	
I625	6.12	3.75	12	1	B24021	
I625	6.62	3.25	19.12	1	C11764	
I625	7.12	4.00	23.5	1	C12384	
I625	7.12	4.87	14.5	1	B26956	
I625	7.50	5.00	28.24	1	D15187	
I625	10.00	7.37	14.62	1	D19157	
I625	11.12	6.62	24.69	1	A23965	
I625	12.25	9.25	10	1	D24689	
I625	14.75	11.87	7.62	1	B22982	
I625	17.00	13.75	14.5	1	D24585	
I625	17.37	11.12	16.37	1	K12939	
I625	17.87	14.37	14.75	1	E10670	

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



NiResist Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
NI1	19.25	15.75	14.75	1	A21832	143 BHN
NI2	4.00	1.50	54	1	D25724	131 BHN
NI2	4.50	1.50	71	1	D25725	131 BHN
NI2	5.87	3.87	21.63	1	B31683	179-187 BHN
NI2	6.12	3.00	50	1	D25725	131 BHN
NI2	7.12	4.00	24.12	1	A21973	149 BHN
NI2	7.50	4.50	71.37	1	A21972	149 BHN
NI2	8.12	5.00	44.25	1	D25724	131 BHN
NI2	8.62	3.75	67.12	1	A21972	149 BHN
NI2	8.62	5.50	47.75	1	E10595	143 BHN
NI2	12.62	8.50	13	1	A21973	149 BHN
NI2	13.00	6.00	25.25	1	D31719	159 BHN
NID2	10.25	4.25	11.12	1	B27304	179 BHN
NID3	9.37	5.37	13.87	1	B31898	137 BHN
NID3	9.62	6.12	12.75	1	D23408	163 BHN

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Round Bar Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	4.25	0.00	122.25	1	A11886-1	358-363 BHN SA
17-4	4.50	0.00	37.5	1	255865-1	33 RC H1150 DBL
17-4	4.50	0.00	75.62	1	254539	349 BHN SA
17-4	4.50	0.00	157.12	1	255865-2	33 RC H1150 DBL
17-4	4.75	0.00	43.62	1	253322-1	346 BHN SA
17-4	4.75	0.00	43.87	1	255053-2	33 RC H1150 DBL
17-4	5.00	0.00	149.5	1	254841-2	33 RC H1150 DBL
17-4	5.00	0.00	42	1	254841-1	351 BHN SA
17-4	5.00	0.00	136.87	1	254841-3	33 RC H1150 DBL
17-4	5.00	0.00	99.12	1	254841-4	351 BHN SA
17-4	5.25	0.00	153.5	1	253319-1	352 BHN SA
17-4	5.25	0.00	154.75	1	254699-2	33 RC H1150 DBL
17-4	5.25	0.00	156.5	1	253319-2	352 BHN SA
17-4	5.25	0.00	143.62	1	254699-1	33 RC H1150 DBL
17-4	5.50	0.00	157.37	1	255690	357 BHN SA
17-4	5.50	0.00	157.25	1	255690	357 BHN SA
17-4	5.50	0.00	109.25	1	255593-1	31 RC H1150 DBL
17-4	5.50	0.00	157.12	1	255593-2	31 RC H1150 DBL
17-4	5.75	0.00	155.5	1	254160-1	343 BHN SA
17-4	6.00	0.00	128.5	1	423963-2	343 BHN SA
17-4	6.00	0.00	95.37	1	423963-1	343 BHN SA
17-4	6.50	0.00	119.87	1	252166	32 RC H1150 DBL
17-4	6.50	0.00	104.75	1	423991-2	357 BHN SA
17-4	6.50	0.00	122.12	1	423991-1	357 BHN SA
17-4	6.50	0.00	152	1	373720	294 BHN H1150 DBL

Contact your sales rep:

Kim: kholmes@texasstainless.com
Nicholas: nfleeger@texasstainless.com

Inventory



Round Bar Series

Alloy	OD	ID	Length	Qty	Heat	Hardness / Class
17-4	6.75	0.00	13.25	1	255315	33 RC H1150 DBL
17-4	6.75	0.00	290.75	1	252287	32 RC H1150 DBL
304L	5.00	0.00	104.25	1	97087-1	187 BHN MECH
304L	6.00	0.00	157.25	1	96787-1	170 BHN MECH
304L	6.00	0.00	195.25	1	96787-2	170 BHN MECH
304L	6.25	0.00	106.75	1	96424	170 BHN MECH
304L	7.00	0.00	84.37	1	97186	174 BHN MECH
304L	7.00	0.00	203.25	1	97087-2	170 BHN MECH
316L	1.25	0.00	143	1	E80461-1	174 BHN
316L	1.25	0.00	143	2	E80461-2	174 BHN
316L	1.25	0.00	140	1	9295H-1	24 RC MECH